Journal of
APPLIED POLYMER SCIENCE

Volume 58, 1995

EDITOR
Eric Baer
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

FOUNDING EDITOR
Herman F. Mark

ASSOCIATE EDITORS

Clive Bosnyak
Polycarbonate Research
Dow Chemical U.S.A.
B-1470A
Freeport, TX 77541

Brian W. Pengilly
Goodyear Tire &
Rubber Company
P.O. Box 3531
Akron, OH 44309-3531

David A. Schiraldi
Hoechst Celanese Corporation
P.O. Box 32414
Charlotte, NC 28232-6085

Stam G. Mylonakis
7009 Cashell Manor Court
Derwood, MD 20855

William G. Perkins
Shell Chemical Company
130 Johns Avenue
Akron, OH 44305-4097

Debra Wilfong
Memory Technologies Group
3M Company
3M Center/236-3C-O2
St. Paul, MN 55144-1000

EDITORIAL BOARD

A.-C. Albertsson
B. M. Baysal
N. M. Bikales
W. Bonfield
L. Brannon-Peppas
G. Capaccio
S. H. Carr
M. E. Carrega
P. Cebe
R. E. Cohen
J. R. Collier
J. M. G. Cowie
A. Crowson
J. A. Cuculo
J. M. DeSimone
A. T. DiBenedetto
G. W. Ehrenstein
M. S. El-Aasser
L. Fina
F. Garbassi
P. H. Geil
G. Gillberg
W. Glasser
M. Hallden-Abberton
I. R. Harrison
A. Hiltner
R. Ikeda
A. I. Isayev
P. Juliano
S. H. Kandil
J. L. Kardos
A. Keller
F. N. Kelley
B. K. Kim
K. Kishore
L. Konczol
M. Kryszewski
C. Lacabanne
J. L. Leblanc
L. Manring
K. Matsushige
K. A. Mauritz
G. Mayer
J. W. Mays
S. McCarthy
P. Molyneux
C. L. Myers
L. Nicolais
I. Noda
R. M. Nowak
N. Ogata
E. F. Oleynik
M. S. Parthasarathy
D. R. Paul
N. A. Peppas
N. A. Plate
G. Poehlein
R. S. Porter
R. E. Prud'homme
M. Raab
R. Raghava
L. Rebenfeld
F. Rodriguez
A. Rudin
H. P. Schreiber
L. Shi
A. Siegmann
A. W. Snow
L. H. Sperling
D. R. Squire
J. Summers
R. Vera-Graziano
I. M. Ward
G. Wilkes
K. J. Wynne

Editorial Production, John Wiley: Glenn Beck, Sheila Kaminsky

The *Journal of Applied Polymer Science* (ISSN 0021-8995) is published weekly, four volumes per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Copyright © 1995 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (508) 750-8400, fax (508) 750-4470. Second-class postage paid at New York, NY, and at additional mailing offices.

The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price (Volumes 55–58, 1995): $5,772.00 in US, $6,292.00 in Canada and Mexico, $6,487.00 outside North America. All subscriptions outside US will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645 or e-mail: SUBINFO@jwiley.com.

Postmaster: Send address changes to *Journal of Applied Polymer Science,* Susan Malawski, Director, Subscription Fulfillment and Distribution, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Advertising/Sales: Inquiries concerning advertising should be forwarded to Roberta Frederick, Advertising Sales, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158, (212) 850-8832. Advertising Sales, European Contact: Michael Levermore, Advertising Sales Manager, John Wiley & Sons, Ltd., Baffins Lane, Chichester, Sussex PO19 1UD, England.

Reprints: Reprint sales and inquiries should be directed to the customer service department, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158. Tel.: 212-850-8776.

Other Correspondence: Address all other correspondence to: *Journal of Applied Polymer Science,* Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

The contents of this journal are indexed or abstracted in *Applied Mechanics Reviews, Chemical Abstracts, Chemical Titles, Current Contents/Engineering, Technology, and Applied Sciences, Current Contents/Physical, Chemical, and Earth Sciences, Engineering Index, Excerpta Medica, RAPRA Abstracts, Research Alert (ISI), Science Citation Index (ISI),* and *SCISEARCH Database (ISI).*

APPLIED
POLYMER
SCIENCE

Journal of Applied Polymer Science

Author Index to Volume 58

Abbate, M.
—; Martuscelli, E.; Musto, P.; Ragosta, G.; Scarinzi, G.: Maleated Polyisobutylene: A Novel Toughener for Unsaturated Polyester Resins, 1825
Abbott, S. D. See Nwankwo, E. O., 191
Abdel-Hafiz, S. A.
Potassium Permanganate/ Thioureadioxide Redox System-Induced Grafting of Methacrylic Acid onto Loomstate Cotton Fabric, 2005
Abdullah, I.
—; Ahmad, S.; Sulaiman, C. S.: Blending of Natural Rubber with Linear Low-Density Polyethylene, 1125
Abu Elez, M. See Amin, M., 935
Ahmad, S. See Abdullah, I., 1125
Ait-Kadi, A. See Dubois, C., 827
Akin, H.
—; Hasirci, N.: Preparation and Characterization of Crosslinked Gelatin Microspheres, 95
Akovali, G.
—; Rzaev, Z. M. O.; Mamedov, D. H.: Plasma Surface Modification of Propylene-Based Polymers by Silicon and Tin-Containing Compounds, 645
Ali, K. M. I. See Khan, M. A., 31
Allan, P. S. See Ogbonna, C. I., 2131
Amin, M.
—; Darwish, K. A.; Mounir, M.; Abu Elez, M.: Irradiation Effects on Electrical Properties of Cellulose Nitrate, 935
—; Mounir, M.; Darwish, K. A.; Elez, M. A.: Electrical Behavior of Polycarbonate Doped with Nickel Chloride, 2415
Amma, M. L. G. See Kumar, R. P., 597
Amorim, M. See Jansen, P., 101
An, J. H. See Kim, S., 491
Anderson, J. M. See Azeez, A., 1741
Anderson, J. McC. See Woolfson, A. D., 1291
Andreassen, E.
—; Myhre, O. J.; Hinrichsen, E. L.; Braathen, M. D.; Grøstad, K.: Relationships between the Properties of Fibers and Thermally Bonded Nonwoven Fabrics Made of Polypropylene, 1633
—; Myhre, O. J.; Oldervoll, F.; Hinrichsen, E. L.; Grøstad, K.; Braathen, M. D.: Nonuniform Cooling in Multifilament Melt Spinning of Polypropylene Fibers: Cooling Air Speed Limits and Fiber-to-Fiber Variations, 1619
Andrews, S. M. See Broadbelt, L. J., 1325
Ankleshwaria, B. See Dave, A., 853
Aoki, T. See Oikawa, E., 1205
Arai, Y. See Oikawa, E., 1205
Argitis, P. See Everett, J., 179
Argon, A. S. See Spiegelberg, S. H., 85
Arora, A.
—; Daniels, E. S.; El-Aasser, M. S.: Synthesis and Characterization of Core/ Shell Ionomeric Latexes. I. Latex and Film Properties, 301
—; Daniels, E. S.; El-Aasser, M. S.; Simmons, G. W.; Miller, A.: Synthesis and Characterization of Core/ Shell Ionomeric Latexes. II. Surface Analysis by X-Ray Photoelectron Spectroscopy, 313
Arzak, A.
—; Eguiazábal, J. I.; Nazábal, J.: Compatibility in Immiscible Poly(ether ether ketone)/ Poly(ether sulfone) Blends, 653
Atvars, T. D. Z. See Dibbern-Brunelli, D., 779
Azeez, A.
—; Yun, J.; DeFife, K.; Colton, E.; Cahallan, L.; Verhoeven, M.; Cahallan, P.; Anderson, J. M.; Hiltner, A.: In Vitro Monocyte Adhesion and Activation on Modified FEP Copolymer Surfaces, 1741
Azimi, H. R.
—; Pearson, R. A.; Hertzberg, R. W.: Role of Crack Tip Shielding Mechanisms in Fatigue of Hybrid Epoxy Composites Containing Rubber and Solid Glass Spheres, 449

Baer, E. See Minick, J., 1371
Bafna, S. S.
Rheological Measurements: Some Basic Yet Vital Considerations, 1385
Bagheri, R.
—; Pearson, R. A.: Interfacial

Studies in CTBN-Modified Epoxies, 427
—; See Shaffer, O. L., 465
Bajaj, P. See Gupta, A. K., 1161
Baker, N. See Carter, M., 2039
Bandyopadhyay, S.
—; De, P. P.; Tripathy, D. K.; De, S. K.: Effect of Chemical Interaction Between Surface Oxidized Carbon Black and Carboxylated Nitrile Rubber on Dynamic Properties, 719
Banerjee, A. N. See Das, G., 2127
Banthia, A. K. See Thakur, A., 959
Bashir, Z. See Khan, N., 1509
Bassett, D. R. See Jenkins, R. D., 209
Basu, D. K. See Biswas, T., 981
Basu, S.
—; Chatterjee, N.; Maiti, M. M.: Thermal Degradation Characteristics of Poly[Poly(ethylene glycol)] Phosphates, 523
Basu, S. K. See Mehta, S., 1495
Benninghoven, A. See Schroeder, K., 699
Bernal, C. R.
—; Frontini, P. M.; Sforza, M.; Bibbó, M. A.: Microstructure, Deformation, and Fracture Behavior of Commercial ABS Resins, 1
Berry, S. F. See Lyons, J. S., 957
Berti, C. See Ignatov, V. N., 771
Bevis, M. J. See Ogbonna, C. I., 2131
Bhat, N. V.
—; Geetha, P.; Pawde, S.; Nallathambi, R.: Preparation of Poly(vinylidene fluoride)–Polypyrrole Composite Films by Electrochemical Synthesis and Their Properties, 2251
Bhushan, B. See Weick, B. L., 2381
Bhuvanesh, Y. C.
—; Gupta, V. B.: Computer Simulation of Melt Spinning of Polypropylene Fibers Using a Steady-State Model, 663
Bi, X. See Xu, C., 2155
Bibbó, M. A. See Bernal, C. R., 1
Bigio, D. See Yang, L.-Y., 117, 129
Biswas, T.
—; Naskar, N.; Basu, D. K.: Thiophosphoryl Disulfides; Novel Coupling Agents for Styrene–Butadiene Rubber/Carboxylated Nitrile Rubber Blends, 981
Bleha, M. See Tishchenko, G., 1341
Bleha, Q. M. See Lokaj, J., 1485
Blom, H. P.
—; Teh, J. W.; Rudin, A.: *i*-PP/HDPE Blends: Interactions at Lower HDPE Contents, 995
Bohdanecký, M. See Šimek, L., 897
Bon, S. A. F.
—; Van Beek, H.; Piet, P.; German, A. L.: Emulsifier-Free Synthesis of Monodisperse Core-Shell Polymer Colloids Containing Chloromethyl Groups, 19
Boomgaard, Th. v. d. See Wessling, M., 1959
Bose, N. R. See Ghosh, P., 2177
Bott, R. H.
—; Kuphal, J. A.; Robeson, L. M.; Sagl, D.: Miscibility of Poly(vinyl acetate) and Vinyl Acetate–Ethylene Copolymers with Styrene–Acrylic Acid and Acrylate–Acrylic Acid Copolymers, 1593
Bou, J. J. See Ruiz-Donaire, P., 41
Braathen, M. D. See Andreassen, E., 1619, 1633
Broadbelt, L. J.
—; Klein, M. T.; Dean, B. D.; Andrews, S. M.: The Influence of Poly(arylether sulfone) Molecular Weight Distribution on Measures of Global Thermal Stability, 1325
Brodman, B. W. See Sundaram, S. T., 2287
Bryjak, See Kolarz, B. N., 1317
Bucheňska, J.
Modification of Polyamide Fibers (PA6) by Grafting Polyacrylamide (PAM), 1901
Bureš, L. See Tishchenko, G., 1341
Burford, R. P. See Carter, M., 2039
Byerley, T. J. See Chappelow, C. C., 1147

Cahallan, L. See Azeez, A., 1741
Cahallan, P. See Azeez, A., 1741
Cairncross, R. A.
—; Jeyadev, S.; Dunham, R. F.; Evans, K.; Francis, L. F.; Scriven, L. E.: Modeling and Design of an Industrial Dryer with Convective and Radiant Heating, 1279
Caluwe, P. See Zhou, Y. J., 1523
Carraro, C. See Ignatov, V. N., 771
Carter, M.
—; Baker, N.; Burford, R. P.: Polymer Encapsulation of Arsenic-Containing Waste, 2039
Cassagnau, P.
—; Espinasse, I.; Michel, A.: Viscoelastic and Elastic Behavior of Polypropylene and Ethylene Copolymer Blends, 1393
Castiglioni, G. See Tonelli, C., 1407
Cataldo, F.
Liquid Chlorine as Chlorinating Agent for Preparation of Chlorinated Natural and Synthetic Rubbers, 2063
Całusiński, G. See Masiulanis, B., 1441
Cha, Y.-J.
—; Choe, S.: Characterization of

Crosslinked Polystyrene Beads and Their Composite in SBR Matrix, 147
Chan, C.-M. See Zhu, S.-H., 621
Chan, W.-C.
—; Chiang, C.-Y.: Flocculation of Clay Suspensions with Water-Insoluble Starch Grafting Acrylamide/ Sodium Allylsulfonated Copolymer Powder, 1721
Chappelow, C. C.
—; Pinzino, C. S.; Byerley, T. J.; Eick, J. D.: Tri-*n*-butylborane Oxide-Initiated Homopolymerization of Vinyl Monomers Containing Cyano or Isocyanato Groups, 1147
Chatterjee, N. See Basu, S., 523
Chee, K. K.
Solubility Parameters of Polymers from Swelling Measurements at 60°C, 2057
Chen, C. H.
—; Wesson, R. D.; Collier, J. R.; Lo, Y. W.: Studies of Rigid Poly(vinyl chloride) (PVC) Compounds. I. Morphological Characteristics of Poly(vinyl chloride)/ Chlorinated Polyethylene (PVC/CPE) Blends, 1087
—; Wesson, R. D.; Collier, J. R.; Lo, Y. W.: Studies of Rigid Poly(vinyl chloride) (PVC) Compounds. II. Determination of the Fusion Level, 1093
—; Wesson, R. D.; Collier, J. R.; Lo, Y. W.: Studies of Rigid Poly(vinyl chloride) (PVC) Compounds. III. Correlation of Compounding Energy with Fusion Level, 1101
—; Wesson, R. D.; Collier, J. R.; Lo, Y. W.: Studies of Rigid Poly(vinyl chloride) (PVC) Compounds. IV. Fusion Characteristics and Morphology Analyses, 1107
Chen, J. See Chen, X., 1401
Chen, K.-M. See Lian, S.-M., 1577
Chen, S. C.
—; Hsu, K. F.; Hsu, K. S.: Analysis and Experimental Study of Gas Penetration in a Gas-Assisted Injection-Molded Spiral Tube, 793
Chen, X.
—; Zhang, S.; Wang, X.; Yao, X.; Chen, J.; Zhou, C.: Infrared Analysis of Effect of Recovered Clay on Natural Rubber Vulcanizates (Note), 1401
Chen, Y. See Wang, Y., 2221
Cheng, G. See Yao, K., 565
Cheong, S. I.
—; Choi, K. Y.: Melt Polycondensation of Poly(ethylene terephthalate) in a Rotating Disk Reactor, 1473
Chern, Y.-T.
—; Fang, J.-S.; Chung, M.-A.: Preparation and Properties of New Polycyclic Aliphatic Polyamides Base on Diamantane, 1417
Cherry, B. W. See Daver, F., 2429
Chiang, A. C. See Phillips, J. C., 881
Chiang, C.-Y. See Chan, W.-C., 1721
Chien, Y. W. See Sah, H., 197
Chigita, K.-I. See Torikai, A., 685
Chiu, C.-H.
—; Lautenschlager, E. P.; Greener, E. H.; Healy, K. E.: Prediction of Service Lifetime and Performance of a Prosthetic Thermoplastic, 1661
Chiu, Y.-S. See Liu, Y.-L., 579
Cho, B. See Seo, M. P., 143
Cho, W. J. See Lee, S. W., 1409
Cho, W.-J. See Seo, B.-D., 1255
Choe, S. See Cha, Y.-J., 147
Choi, H. J.
—; Yang, R.; Kunioka, M.: Synthesis and Characterization of pH-Sensitive and Biodegradable Hydrogels Prepared by γ Irradiation Using Microbial Poly(γ-glutamic acid) and Poly(ε-lysine), 807
—; See Kunioka, M., 801
Choi, K. Y. See Cheong, S. I., 1473
Choi, M. J.
—; Park, C. K.; Lee, Y. M.: Chelate Membrane from Poly(vinyl alcohol)/Poly(*N*-salicylidene allyl amine) Blend. II. Effect of Co(II) Content on Oxygen/ Nitrogen Separation, 2373
Chowdhury, G. See Hamza, A., 613
Chu, Y.
—; Varanasi, P. P.; McGlade, M. J.; Varanasi, S.: pH-Induced Swelling Kinetics of Polyelectrolyte Hydrogels, 2161
Chum, S. P. See Minick, J., 1371
Chung, M.-A. See Chern, Y.-T., 1417
Ciora, R. J., Jr.
—; Magill, J. H.: Novel Rolltruded Membranes III. The Effect of Processing Temperature on the Gas Transport Properties of Isotactic Polypropylene, 1021
Cohen, R. E. See Sohn, B. H., 1041; Spiegelberg, S. H., 85
Collier, J. R. See Chen, C. H., 1087, 1093, 1101, 1107
Colton, E. See Azeez, A., 1741
Connell, J. W. See Hill, D. J. T., 1847; Rasoul, F. A., 1857
Cooper, D. G. See Simard, Y. D. M., 843

Damasceno da Silva, L. R.
—; Gushikem, Y.; Do Carmo Gonçalves, M.; Filho, U. P. R.; De Castro, S. C.: Highly Dispersed Titanium (IV) Oxide on α-Cellulose Surface: XPS, SEM, and XRD Study, 1669

D'Aniello, C.
—; De Candia, F.; Oliva, L.; Vittoria, V.: Correlation between Microstructure and Physical Properties in Styrene–Ethylene Copolymers, 1701
Daniels, E. S. See Arora, A., 301, 313; Nelliappan, V., 323; Yoo, S., 367
Darwish, K. A. See Amin, M., 935, 2415
Das, G.
—; Banerjee, A. N.: Tensile Modulus-Structure Relationship of Poly(styrene-*co*-acrylonitrile) and Poly(vinyl chloride-*co*-vinyl acetate) Blends (Note), 2127
Dave, A.
—; Vaishnav, U.; Desai, R.; Shah, A.; Ankleshwaria, B.; Mehta, M.: On the Assessment of Hydrogels for Fluid Absorbency, 853
Daver, F.
—; Cherry, B. W.: Effect on the Elastic Modulus of High-Density Polyethylene of Differing Thermal Treatments, 2429
De Candia, F. See D'Aniello, C., 1701
De Castro, S. C. See Damasceno da Silva, L. R., 1669
De, P. P. See Bandyopadhyay, S., 719
De, S. K. See Bandyopadhyay, S., 719
Dean, B. D. See Broadbelt, L. J., 1325
DeFife, K. See Azeez, A., 1741
Delev, O. See Mateva, R., 2333
Deng, J. See Yu, T., 973
Deng, M.
—; Shalaby, S. W.: Effects of Gamma Irradiation, Gas Environments, and Postirradiation Aging on Ultrahigh Molecular Weight Polyethylene, 2111
Desai, R. See Dave, A., 853
Désilets, S. See Dubois, C., 827
Dev, D. See Ghosh, P., 1727
Dewalt, L. E.
—; Ou-Yang, H. D.; Dimonie, V. L.: Competition Between Micellization and Adsorption of Diblock Copolymers in a Colloidal System, 265
Dhawan, S. K.
—; Trivedi, D. C.: Synthesis and Characterization of Poly(*o*-ethoxyaniline): A Processable Conducting Polymer, 815
Dibbern-Brunelli, D.
—; Atvars, T. D. Z.: *In Situ* Chemical Analysis of Domains in Polymer Blends by Optical Fluorescence Microscopy, 779
Dimonie, V. See Shaffer, O. L., 465
Dimonie, V. L. See Dewalt, L. E., 265; Hu, R., 375; Qian, J. Y., 439; Segall, I., 385, 401, 419
Ding, M. See Liu, Y., 485
Do Carmo Gonçalves, M. See Damasceno da Silva, L. R., 1669
Du Prez, F. E. See Mishra, V., 331
Du Prez, F. E. See Mishra, V., 347
Dubois, C.
—; Désilets, S.; Ait-Kadi, A.; Tanguy, P.: Bulk Polymerization of Hydroxyl Terminated Polybutadiene (HTPB) with Tolylene Diisocyanate (TDI): A Kinetics Study Using ^{13}C-NMR Spectroscopy, 827
Dunaway, D. L.
—; Thiel, B. L.; Viney, C.: Tensile Mechanical Property Evaluation of Natural and Epoxide-Treated Silk Fibers, 675
Dunham, R. F. See Cairncross, R. A., 1279
Durant, Y. G.
—; Sundberg, D. C.: An Advanced Computer Algorithm for Determining Morphology Development in Latex Particles, 1607

East, G. C. See Szosland, L., 2459
Ebewele, R. O.
Differential Scanning Calorimetry and Dynamic Mechanical Analysis of Amine-Modified Urea–Formaldehyde Adhesives, 1689
Eguiazábal, J. I. See Arzak, A., 653
Eick, J. D. See Chappelow, C. C., 1147
El-Aasser, M. S. See Arora, A., 301, 313; Filippov, L. K., 231; Hu, R., 375; Jenkins, R. D., 209; Nelliappan, V., 323; Qian, J. Y., 439; Segall, I., 385, 401, 419; Shaffer, O. L., 465; Yoo, S., 367
Elez, M. A. See Amin, M., 2415
Erout, M. N. See Ganachaud, F., 1811
Ersoz, M. See Vural, U. S., 2423
Escoubes, M. See Rebattet, L., 923
Escoubes, M. See Rebouillat, S., 1305
Espinasse, I. See Cassagnau, P., 1393
Etters, J. N.
Diffusion-Controlled Sorption of Dye by Cylindrical Fibers: Matching Empirical and Theoretical Models, 2325
Evans, K. See Cairncross, R. A., 1279
Everett, J.
—; Piechocki, C.; Argitis, P.; Hatzakis, M.: Surfactant-Modified Epoxy Resins as Novel Negative-Acting Deep UV Photoresists, 179

Faliagas, A. See Simitzis, J., 541
Fan, Y. See Wang, Q., 903

Fang, J.-S. See Chern, Y.-T., 1417
Farris, R. See Petrović, Z. S., 1077, 1349
Feng, Z. See Zhu, W., 515, 551
Ferretti, K. E. See Lloyd, T. B., 291
Filho, U. P. R. See Damasceno da Silva, L. R., 1669
Filippov, L. K.
—; Silebi, C. A.; El-Aasser, M. S.: Kinetics of Adsorption and Desorption of Water-Soluble Associative Polymers on Planar Titanium Dioxide Surfaces by Ellipsometry, 231
Fiorini, M. See Ignatov, V. N., 771
Flumerfelt, R. W. See Lee, J. G., 2213
Fornes, R. E. See Gilbert, R. D., 1365; Zhang, C., 2067
Forsythe, J. S. See Hill, D. J. T., 1847; Rasoul, F. A., 1857
Francis, L. F. See Cairncross, R. A., 1279
Frazier, C. E.
—; Glasser, W. G.: Intramolecular Effects in Cellulose Mixed Benzyl Ethers Blended with Poly(ϵ-caprolactone), 1063
Frontini, P. M. See Bernal, C. R., 1
Fujii, H. See Okazaki, M., 2235, 2243
Fujimoto, K. See Yoshikawa, M., 1771
Fukuda, T.
Viscoelastic Properties and Coating Performance of Water-Soluble Acrylic Copolymers with Crosslinked Melamine Resin, 1925

Gadalla, A. M. See Norasetthekul, S., 2101
Galeski, A. See Kłapciński, T., 1007
Ganachaud, F.
—; Theretz, A.; Erout, M. N.; Llauro, M. F.; Pichot, C.: Synthesis and Characterization of Bioreactive End Groups Containing Azoinitiators and Their Use for Preparing End Functionalized Polyvinylpyrrolidone, 1811
Ganga, S. See Mehta, S., 1495
Gao, W. See Xu, M. X., 1047
Gauthier, R. See Rebouillat, S., 1305
Gawdzik, A. See Król, P., 729
Gawdzik, B. See Matynia, T., 861
Geetha, P. See Bhat, N. V., 2251
Genies, E. See Rebattet, L., 923
George, G. A. See Hill, D. J. T., 1847; Rasoul, F. A., 1857
Geraci, C. See La Mantia, F. P., 911
German, A. L. See Bon, S. A. F., 19
Ghosh, P.
—; Bose, N. R.: FRP Composites Based on Different Types of Glass Fibers and Matrix Resins: A Comparative Study, 2177
—; Dev, D.; Samanta, A. K.: Graft Copolymerization of Acrylamide on Cotton Cellulose in a Limited Aqueous System Following Pretreatment Technique, 1727
Giddings, C. L. See Trumbo, D. L., 69
Gilbert, R. D.
—; Hu, X.; Fornes, R. E.: Preparation of High-Strength/High-Modulus Regenerated Cellulose Fibers from Lyotropic Mesophases, 1365
—; See Zhang, C., 2067
Giuliani, B. V. M. K.
—; McGill, W. J.: Tetramethylthiuram Disulfide and 2-Mercaptobenzothiazole as Binary Accelerators in Sulfur Vulcanization: II Exchange Reactions between the Accelerators and their Zinc Salts in the Absence of Rubber, 1053
Glasser, W. G. See Frazier, C. E., 1063
Goethals, E. J. See Mishra, V., 331, 347
Gokmenoglu, Z. See Kiran, E., 2307
Gomes, A. S. See Jansen, P., 101
Gómez-Antón, M. R. See Morales, E., 1943
Góralczyk, B. See Masiulanis, B., 1441
Gosen, E. See Mishra, V., 331
Gradwell, M. H. S.
—; McGill, W. J.: Sulfur Vulcanization of Polyisoprene Accelerated by Benzothiazole Derivatives. I. Comparison of Sulfur and 2-Mercaptobenzothiazole Accelerated Reactions, 2185
—; McGill, W. J.: Sulfur Vulcanization of Polyisoprene Accelerated by Benzothiazole Derivatives. II. Reaction of 2-Mercaptobenzothiazole and Its Zinc Salt with Sulfur and ZnO in Polyisoprene, 2193
Gratt, J. A. See Sohn, B. H., 1041
Greener, E. H. See Chiu, C.-H., 1661
Grøstad, K. See Andreassen, E., 1619, 1633
Guan, J.-G. See Xie, H.-Q., 951
Guo, J. P.
—; Sun, Q. Y.; Zhou, Q.; Yao, K. D.: Delivery Behavior of Isoflavone Loaded Beads with Ethylcellulose/Poly(ethylene glycol) (Note), 2121
Guo, J.-S. See Xie, H.-Q., 951
Gupta, A. See Kaur, I., 835
Gupta, A. K.
—; Paliwal, D. K.; Bajaj, P.:

Effect of an Acidic Comonomer on Thermooxidative Stabilization of Polyacrylonitrile, 1161
Gupta, N. See Pande, C. S., 1735
Gupta, S. K. See Misra, M., 1877; Sareen, R., 2357
Gupta, V. B. See Bhuvanesh, Y. C., 663
Gushikem, Y. See Damasceno da Silva, L. R., 1669

Ha, C. S. See Lee, S. W., 1409
Ha, C.-S. See Seo, B.-D., 1255
Haggerty, J. F., IV
—; Roberts, J. E.: ^{1}H-NMR Studies of Nonionic Surfactant Adsorption onto Colloidal Particles, 271
Hamada, T. See Okazaki, M., 2235, 2243
Hamza, A.
—; Chowdhury, G.; Matsuura, T.; Sourirajan, S.: Study of Reverse Osmosis Separation and Permeation Rate for Sulfonated Poly(2,6-dimethyl-1,4-phenylene oxide) Membranes of Different Ion Exchange Capacities, 613
Han, D. H. See Seo, M. P., 143
Hara, M.
—; Higuchi, M.; Minoura, N.; Higuchi, A.: Recognition of Amino Acids by Membrane Potential and Circular Dichroism of Immobilized Albumin Membranes, 2025
Harelle, L. See Yoo, S., 367
Hasirci, N. See Akin, H., 95
Hatzakis, M. See Everett, J., 179
Haynes, B. D. See Milligan, M. W., 159
Hazziza-Laskar, J.
—; Helary, G.; Sauvet, G.: Biocidal Polymers Active by Contact. IV. Polyurethanes Based on Polysiloxanes with Pendant Primary Alcohols and Quaternary Ammonium Groups, 77
He, D. See Jiang, W., 537
Healy, K. E. See Chiu, C.-H., 1661
Heino, M. T. See Holsti-Miettinen, R. M., 1551
Helary, G. See Hazziza-Laskar, J., 77
Hendriks, A. J. J. See Jager, J., 1465
Hermida, E. B. See Povolo, F., 55
Hertzberg, R. W. See Azimi, H. R., 449
Higginbottom, H. P. See Krejsa, M. R., 2141
Higuchi, A. See Hara, M., 2025
Higuchi, M. See Hara, M., 2025
Hill, D. J. T.
—; Rasoul, F. A.; Forsythe, J. S.; O'Donnell, J. H.; Pomery, P. J.; George, G. A.; Young, P. R.; Connell, J. W.: The Effect of Simulated Low Earth Orbit Radiation on Polyimides (UV) Degradation Study), 1847
—; See Rasoul, F. A., 1857
Hillebrand, M. See Hubca, G., 1675
Hiltner, A. See Azeez, A., 1741; Hu, R., 375; Minick, J., 1371
Hinrichsen, E. L. See Andreassen, E., 1619, 1633
Hirahara, H. See Mori, K., 2451
Hirose, T.
—; Mizoguchi, K.; Terada, K.: Gas Transport in Poly(vinyl-*p*-isopropylbenzoate): Comparison and Correlation with Some Other Poly(vinyl esters), 1031
Höcker, H. See Schroeder, K., 699
Holsti-Miettinen, R. M.
—; Perttilä, K. P.; Seppälä, J. V.; Heino, M. T.: Oxygen Barrier Properties of Polypropylene/Polyamide 6 Blends, 1551
Hong, D. C. See Vugmeister, B. E., 297
Hong, J.-L. See Wang, Y.-H., 1585
Hong, Y.-L. See Wang, Y.-H., 1585
Horálek, J. See Podzimek, Š., 1491
Horiike, S.
—; Matsuzawa, S.: Application of Syndiotacticity-Rich PVA Hydrogels to Drug Delivery System, 1335
Hourston, D. J. See Zhang, Y., 1803
Hsiue, G.-H. See Liu, Y.-L., 579
Hsu, C. C. See Yang, C. B., 1229, 1237, 1245
Hsu, K. F. See Chen, S. C., 793
Hsu, K. S. See Chen, S. C., 793
Hu, R.
—; Dimonie, V. L.; El-Aasser, M. S.; Pearson, R. A.; Sperling, L. H.; Hiltner, A.; Mylonakis, S. G.: Interfacial Aspects of Latex IPNs for Toughening Polycarbonate. I. Synthesis and Characterization, 375
Hu, X. See Gilbert, R. D., 1365
Huang, B. See Zhu, W., 515, 551
Huang, J.
—; Wang, H.; Zhou, C.: Ring-Opening Polymerization of Ethylene Oxide by Anion Initiation Using Sulfadiazine as Parents Compound, 11
Huang, S.-L.
—; Lai, J.-Y.: Gas Permeability of Crosslinked HTPB–H_{12} MDI-Based Polyurethane Membrane, 1913
Huang, Y. See Wu, C., 1779
Hubca, G.
—; Tomescu, M.; Hillebrand, M.; Iovu, H.: Spectral Study of Modified Polyvinylic Alcohol Submitted to Chemical and Heat Treatments, 1675
Huisman, I. See Wessling, M., 1959
Hung, A. See Lian, S.-M., 1577

Ibashi, W. See Mori, K., 2451
Idage, S. B. See Sabne, M. B., 1275

Ignatov, V. N.
—; Pilati, F.; Berti, C.; Tartari, V.; Carraro, C.; Nadali, G.; Fiorini, M.; Toselli, M.: PET Synthesis in the Presence of Lanthanide Catalysts, 771
Iijima, T. See Seo, T., 633
Ikada, Y. See Tsuji, H., 1793
Iovu, H. See Hubca, G., 1675
Ishida, H.
—; Rodriguez, Y.: Catalyzing The Curing Reaction of a New Benzoxazine Based Phenolic Resin, 1751
Islam, M. N. See Khan, M. A., 31
Iwatsubo, T. See Yamasaki, A., 1657
Iyer, P. B. See Sreenivasan, S., 2405

Jager, J.
—; Hendriks, A. J. J.: Gas Separation Properties of Isophorone-Based Polyarylates, 1465
Jang, B. Z. See Tai, H. J., 2293
Jannasch, P.
—; Wesslén, B.: Poly(styrene-*graft*-ethylene oxide) as a Compatibilizer in Polystyrene/Polyamide Blends, 753
Jansen, P.
—; Amorim, M.; Gomes, A. S.; Soares, B. G.: Use of EVA-Containing Mercapto Groups in Natural Rubber–EVA Blends. I. Mechanical, Thermal, and Morphological Properties, 101
Jarm, V.
—; Kovač-Filipović, M.; Šegudović, N.: Some Properties of Aqueous Solutions of Poly[(maleic acid)-*alt*-(p-sulfostyrene, Styrene)], 1967
—; Sertić, S.; Šegudović, N.: Stability of Aqueous Solutions of Poly[(maleic acid)-*alt*-styrene]sodium Salts in the Presence of Divalent Cations, 1973
Jasso, C. F.
—; Martinez, J. J.; Mendizabal, E.; Laguna, O.: Mechanical and Rheological Properties of Styrene/Acrylic Gradient Polymers, 2207
Jenkins, R. D.
—; Bassett, D. R.; Silebi, C. A.; El-Aasser, M. S.: Synthesis and Characterization of Model Associative Polymers, 209
Jenkins, S. D. See MacKinnon, A. J., 2345
Jeyadev, S. See Cairncross, R. A., 1279
Jiang, B. See Jiang, W., 537
Jiang, L. See Wang, Y., 2221
Jiang, S. See Wu, C., 1779
Jiang, W.
—; Liang, H.; Zhang, J.; He, D.; Jiang, B.: Effect of Particle Size on Impact Strength of Polymer Blends, 537
Jurkowski, P. See Masiulanis, B., 1441

Kadu, A. See Radhakrishnan, S., 571
Kalay, G. See Ogbonna, C. I., 2131
Kalyon, D. M. See Lawal, A., 1501
Kamal, M. R. See Simard, Y. D. M., 843
Kamiya, Y. See Yoshikawa, M., 1771
Kane, K. See Radhakrishnan, S., 571
Kaschcieva, E. See Mateva, R., 2333
Katayama, M. See Mori, K., 2451
Kaur, I.
—; Maheshwari, S.; Gupta, A.; Misra, B. N.: Viscometric and Conductometric Studies of Poly(vinyl alcohol)-*g*-Polyacrylamide Composites, 835
Kawamonzen, Y. See Oba, M., 1535
Kefalas, V. A.
Solvent Crazing as a Stress-Induced Surface Adsorption and Bulk Plasticization Effect, 711
Kelley, S. S. See Shojaie, S. S., 1263
Kelly, M. S.
—; Santore, M. M.: Adsorption Behavior and Potential Interfacial Morphology: Impact of Adsorbing Hydrophobic Groups in Polymers with Weakly Adsorbing Main Backbones, 247
Keskkula, H. See Lu, M., 1175
Khan, M. A.
—; Uddin, M. K.; Islam, M. N.; Ali, K. M. I.: Degradable Property of UV-Cured Hessian Cloth (Jute), 31
Khan, N.
—; Bashir, Z.; Price, D. M.: Liquid Crystalline Aromatic Polyesters Formed with Terephthalic Acid, Phenyl Hydroquinone, and Napthalene or Anthracene Diols, 1509
Kim, B. K. See Lee, J. C., 1117
Kim, H.-J.
—; Mizumachi, H.: Miscibility and Shear Creep Resistance of Acrylic Pressure-Sensitive Adhesives: Acrylic Copolymer and Tackifier Resin Systems, 1891
Kim, H.-K. See Lee, K.-H., 1707
Kim, J.-I.
—; Vanderhoff, J. W.; Klein, A.: Determination of the Interfacial Mass Transfer Coefficient of Vinyl Acetate Monomer Diffusion into Poly(vinyl acetate) and Polystyrene Latex Particles Stabilized with Different Stabilization Mechanisms Using a Vapor Phase Addition Method, 279
Kim, S.
—; An, J. H.: Morphology Control in Reaction-Induced Phase-Separated Polymeric Systems, 491

Kinugawa, H. See Yoshikawa, M., 1771
Kiran, E.
—; Gokmenoglu, Z.: High-Pressure Viscosity and Density of Polyethylene Solutions in *n*-Pentane, 2307
Kitao, T. See Yoshikawa, M., 1771
Klee, D. See Schroeder, K., 699
Klein, A. See Kim, J.-I., 279; Nelliappan, V., 323; Sambasivam, M., 357; Yoo, S., 367
Klein, M. T. See Broadbelt, L. J., 1325
Kolarz, B. N.
—; Wojaczyńska, M.; Bryjak, ; Łobarzewski, J.; Pawłów, B.: The Influence of Pentaerythritol Triacrylate Acrylic Carrier Swelling on Immobilization of Enzymes, 1317
Kong, X. See Wang, Q., 903
Konstantakopoulos, I. C.
—; Valkanas, G. N.: Swelling Characteristics of Block Order Networks Prepared by Styrene–Ethylene/Butylene ABA Triblock Copolymer and Styrene Homopolymer Binary Blends, 1517
Koros, W. J. See Rezac, M. E., 165
Kotschy, M. See Masiulanis, B., 1441
Kovać-Filipović, M. See Jarm, V., 1967
Krejsa, M. R.
—; Higginbottom, H. P.: Kinetics of Reaction of *n*-Butanol and Triaminononane Trisisocyanate Measured via ^{13}C Solution NMR, 2141
Król, P.
—; Gawdzik, A.: Basic Kinetic Model for the Reaction Yielding Linear Polyurethanes. II, 729
Kryszewski, M. See Kłapciński, T., 1007
Krzemień-Dąbrowska, A. See Masiulanis, B., 1441
Kumar, A. See Sailaja, R. R. N., 1865
Kumar, R. P.
—; Amma, M. L. G.; Thomas, S.: Short Sisal Fiber Reinforced Styrene–Butadiene Rubber Composites, 597
Kunioka, M.
—; Choi, H. J.: Properties of Biodegradable Hydrogels Prepared by γ Irradiation of Microbial Poly(ε-lysine) Aqueous Solutions, 801
—; See Choi, H. J., 807
Kuphal, J. A. See Bott, R. H., 1593
Kurauchi, T. See Shiga, T., 787
Kusudo, O. See Okazaki, M., 2243
Kłapciński, T.
—; Galeski, A.; Kryszewski, M.: Polyacrylamide Gels Filled with Ferromagnetic Anisotropic Powder: A Model of a Magnetomechanical Device, 1007

La Mantia, F. P.
—; Geraci, C.; Vinci, M.; Pedretti, U.; Roggero, A.; Minkova, L. I.; Magagnini, P. L.: Morphology and Properties of Blends of Polyethylene with a Semiflexible Liquid Crystalline Polymer, 911
Lachtermacher, M. G.
—; Rudin, A.: Reactive Processing of LLDPEs in Corotating Intermeshing Twin-Screw Extruder. I. Effect of Peroxide Treatment on Polymer Molecular Structure, 2077
—; Rudin, A.: Reactive Processing of LLDPEs in Corotating Intermeshing Twin-Screw Extruder. II. Effect of Peroxide Treatment on Processability, 2433
Lagow, J. See Lloyd, T. B., 291
Laguna, O. See Jasso, C. F., 2207
Lai, J.-Y. See Huang, S.-L., 1913
Lai, Y.-C. See Liu, J.-H., 1713
Lal, D. See Tripathi, V. S., 1681
Lautenschlager, E. P. See Chiu, C.-H., 1661
Lawal, A.
—; Kalyon, D. M.: Simulation of Intensity of Segregation Distributions Using Three-dimensional FEM Analysis: Application to Corotating Twin Screw Extrusion Processing, 1501
Lee, J. C.
—; Kim, B. K.: Modification of Waterborne Polyurethanes by Acrylate Incorporations, 1117
Lee, J. G.
—; Flumerfelt, R. W.: Nitrogen Solubilities in Low-Density Polyethylene at High Temperatures and High Pressures, 2213
Lee, J. K. See Sohn, B. H., 1041
Lee, K.-H.
—; Kim, H.-K.; Rhim, J.-W.: Pervaporation Separation of Binary Organic–Aqueous Liquid Mixtures Using Crosslinked PVA Membranes. III. Ethanol–Water Mixtures, 1707
Lee, R.-J. See Lian, S.-M., 1577
Lee, S. W.
—; Park, D. J.; Ha, C. S.; Cho, W. J.: Synthesis and Properties of Methacrylonitrile–EPDM–2-Vinylnaphthalene Graft Terpolymer, 1409
Lee, W.-F.
—; Tsai, C.-C.: Polymerization and Thermal Behaviors of Poly[dimethyl(acrylamidopropyl)ammonium propane sulfonate] poly (DMAAPS), 1423
Lee, Y. M. See Choi, M. J., 2373
Lesser, A. J.
Changes in Mechanical

Behavior During Fatigue of Semicrystalline Thermoplastics, 869
Leute, A. See Schroeder, K., 699
Li, J.
—; Nagai, K.; Nakagawa, T.; Wang, S.: Preparation of Polyethyleneglycol (PEG) and Cellulose Acetate (CA) Blend Membranes and their Gas Permeabilities, 1455
Li, K.-T.
—; Lin, C.-C.: *In Situ* Preparation of *N,N*-Dimethyl-*n*-butylamine for 2,6-Dimethylphenol Polymerization, 1199
Li, S. See Peng, W., 967
Li, X.
—; Sun, Z.: Synthesis of Magnetic Polymer Microspheres and Application for Immobilization of Proteinase of *Balillus sublitis*, 1991
Lian, S.-M.
—; Chen, K.-M.; Lee, R.-J.; Pan, J.-P.; Hung, A.: Chemical Etching of Polyimide Film, 1577
Liang, H. See Jiang, W., 537
Lin, C.-C. See Li, K.-T., 1199; Shinn, T.-H., 1981
Lin, L.
—; Yoshioka, M.; Yao, Y.; Shiraishi, N.: Preparation and Properties of Phenolated Wood/Phenol/Formaldehyde Cocondensed Resin, 1297
Lin, R.
—; White, R. L.: Effects of Catalyst Acidity and HZSM-5 Channel Volume on the Catalytic Cracking of Poly(ethylene), 1151
Lin, X.
—; Qiu, X.; Zhen, G.; Xu, J.: Gas Permeabilities of Poly(trimethylsilylpropyne) Membranes Surface Modified with CCl_4 Plasma (Note), 2137
Liu, H. See Yu, T., 973
Liu, J.-H.
—; Tsai, F.-R.; Lai, Y.-C.: Synthesis of Chiral Polymers Having Camphanediol Moieties and Their Applications on the Optical Resolution of Some Racemates, 1713
Liu, Y.
—; Ding, M.; Xu, J.: Gas Permeabilities and Permselectivity of Photochemically Crosslinked Polyimides, 485
—; See Yu, T., 973
Liu, Y.-L.
—; Hsiue, G.-H.; Chiu, Y.-S.: Thermal Characteristics of Energetic Polymers Based on Tetrahydrofuran and Oxetane Derivatives, 579
Llauro, M. F. See Ganachaud, F., 1811
Lloyd, T. B.
—; Ferretti, K. E.; Lagow, J.: A New Approach to Chemical Characterization of Polymer Surfaces, 291
Lo, Y. W. See Chen, C. H., 1087, 1093, 1101, 1107
Łobarzewski, J. See Kolarz, B. N., 1317
Lokaj, J.
—; Sikora, A.; Pientka, Z.; Bleha, Q. M.: Membranes Based on Poly(styrene-N-phenylmaleimide)/Poly(2,6-dimethyl-1,4-phenylene oxide) Blends, 1485
Long, Y.
—; Tiganis, B. E.; Shanks, R. A.: Evaluation of Recycled PP/Rubber/Talc Hybrids, 527
Lozinsky, V. I.
—; Solodova, E. V.; Zubov, A. L.; Simenel, I. A.: Study of Cryostructuration of Polymer Systems. XI. The Formation of PVA Cryogels by Freezing–Thawing the Polymer Aqueous Solutions Containing Additives of Some Polyols, 171
Lu, F. See Zhou, W., 1561
Lu, M.
—; Keskkula, H.; Paul, D. R.: Toughening of Nylon 6 with Grafted Rubber Impact Modifiers, 1175
Lu, T. See Yao, K., 565
Lubczak, J.: ^{1}H-NMR Study of Reaction of Melamine with Oxiranes, 559
Luner, P. See Zhou, Y. J., 1523
Lyons, J. S.
—; Tinio, E. G.; Berry, S. F.: Erratum to "Creep, Stress Rupture, and Isothermal Aging of Reinforced Polyphthalamide", 957

MacKinnon, A. J.
—; Jenkins, S. D.; McGrail, P. T.; Pethrick, R. A.: Cure and Physical Properties of Thermoplastic Modified Epoxy Resins Based on Polyethersulfone, 2345
Magagnini, P. L. See La Mantia, F. P., 911
Magill, J. H. See Ciora, R. J., Jr., 1021
Maheshwari, S. See Kaur, I., 835
Maiti, B. R. See Thakur, A., 959
Maiti, M. M. See Basu, S., 523
Mamedov, D. H. See Akovali, G., 645
Marjański, W. See Masiulanis, B., 1441
Mark, J. E. See Wen, J., 1135
Martinez, J. J. See Jasso, C. F., 2207
Martuscelli, E. See Abbate, M., 1825
Marzocca, A. J.
Estimation by Mechanical Analysis of the Molecular Parameters of SBR Vulcanizates at Different Cure Conditions, 1839
Masiulanis, B.
—; Całusiński, G.; Marjański, W.; Kotschy, M.; Jurkowski, P.; Góralczyk, B.; Staniszewska-Kuś, J.; Solski, L.; Krzemień-Dąbrowska, A.: Investigation on Suitability

of Poly(urethaneimides) as Biomaterials, 1441
Masuoka, T. See Yamasaki, A., 1657
Mateva, R.
—; Delev, O.; Kaschcieva, E.: Structure of Poly(ε-caprolactam) Obtained in Anionic Bulk Polymerization, 2333
Matsuura, T. See Hamza, A., 613
Matsuzawa, S. See Horiike, S., 1335; Okazaki, M., 2235, 2243
Maturana, H. A. See Rivas, B. L., 2201
Matynia, T.
—; Gawdzik, B.: Synthesis of Highly Crosslinked Porous Copolymers of Methacrylic Ester of *p,p'*-Dihydroxydiphenylpropane Diglicydyl Ether and Divinylbenzene, 861
McAdams, E. T. See Woolfson, A. D., 1291
McCafferty, D. F. See Woolfson, A. D., 1291
McCallion, C. R. See Woolfson, A. D., 1291
McGill, W. J.
—; Shelver, S. R.: The Effect of Carbon Black on Tetramethylthuiram Disulfide Accelerator Sulfur Vulcanization of Polyisoprene, 1433
—; See Giuliani, B. V. M. K., 1053; Gradwell, M. H. S., 2185, 2193
McGlade, M. J. See Chu, Y., 2161
McGrail, P. T. See MacKinnon, A. J., 2345
Mehta, M. See Dave, A., 853
Mehta, S.
—; Raghuvanshi, R. S.; Misra, A.; Ganga, S.; Talwar, G. P.; Basu, S. K.: Practical Aspects of Polymerization of D,L-Lactide Initiated with Tetraphenyltin, 1495
Mendizabal, E. See Jasso, C. F., 2207
Merrill, E. W. See Sagar, A. D., 1647
Michel, A. See Cassagnau, P., 1393
Miller, A. See Arora, A., 313
Miller, S. J. See Rezac, M. E., 165
Milligan, M. W.
—; Haynes, B. D.: Empirical Models for Melt Blowing, 159
Minick, J.
—; Moet, A.; Hiltner, A.; Baer, E.; Chum, S. P.: Crystallization of Very Low Density Copolymers of Ethylene with α-Olefins, 1371
Minkova, L. I. See La Mantia, F. P., 911
Minoura, N. See Hara, M., 2025
Mishra, S. P.
—; Venkidusamy, P.: Structural and Thermal Behavior of PC/PBT Blends, 2229
Mishra, V.
—; Du Prez, F. E.; Goethals, E. J.; Sperling, L. H.: Simultaneous Interpenetrating Networks of a Polyurethane and Poly(methyl methacrylate). II. Partitioning of MMA Monomer in the Last Stages of Polymerization, 347
—; Du Prez, F. E.; Gosen, E.; Goethals, E. J.; Sperling, L. H.: Simultaneous Interpenetrating Networks of a Polyurethane and Poly(methyl methacrylate). I. Metastable Phase Diagrams, 331
Misra, A. See Mehta, S., 1495
Misra, B. N. See Kaur, I., 835
Misra, M.
—; Gupta, S. K.: Modeling of Poly(phenylene oxide) Reactors, 1877
Mittermayer, C. See Schroeder, K., 699
Miyagawa, K. See Ogawa, I., 587
Mizobe, A. See Okazaki, M., 2235, 2243
Mizoguchi, K. See Hirose, T., 1031; Yamasaki, A., 1657
Mizumachi, H. See Kim, H.-J., 1891
Mizutani, Y. See Tishchenko, G., 1341
Moet, A. See Minick, J., 1371
Mohanty, M. See Samal, R. K., 745
Mohanty, S.
—; Roy, S.; Santra, R. N.; Nando, G. B.: Miscibility of Blends of Epoxidized Natural Rubber and Poly(ethylene-*co*-acrylic acid), 1947
Morales, E.
—; Gómez-Antón, M. R.; Piérola, I. F.: Partial Specific Volume and Thermal Expansion Coefficient of Poly(*N*-vinylimidazole), 1943
Mori, K.
—; Ibashi, W.; Hirahara, H.; Oishi, Y.; Katayama, M.: Polymerization of 2-dibutylamino-1,3,5-triazine-4,6-dithiol on Wire During Friction Process, 2451
Mounir, M. See Amin, M., 935, 2415
Mrkvičková, L.
—; Porsch, B.; Sundelöf, L.-O.: Comparison of Size Distribution Data from Dynamic Light Scattering and Size-Exclusion Chromatography, 2033
Muñoz-Guerra, S. See Ruiz-Donaire, P., 41
Musto, P. See Abbate, M., 1825
Myhre, O. J. See Andreassen, E., 1619, 1633
Mylonakis, S. G.
Preface to Special Issue: Contributions from Polymer Research at Lehigh University, 207
Mylonakis, S. G. See Hu, R., 375; Segall, I., 385, 401, 419

Nadali, G. See Ignatov, V. N., 771
Nagai, K. See Li, J., 1455
Nagata, M. See Torikai, A., 685
Nair, K. B. See Raja, A. R., 691
Nakagawa, T. See Li, J., 1455
Nallathambi, R. See Bhat, N. V., 2251
Nando, G. B. See Mohanty, S., 1947
Narayani, R.
—; Rao, K. P.: pH Responsive Gelatin Microspheres for Oral Delivery of Anticancer Drug Methotrexate, 1761
Naskar, N. See Biswas, T., 981
Natu, H. P. See Radhakrishnan, S., 571
Nazábal, J. See Arzak, A., 653
Nelliappan, V.
—; El-Aasser, M. S.; Klein, A.; Daniels, E. S.; Roberts, J. E.: Characterization of the Interphase in Poly(divinylbenzene)/Poly(*n*-butyl acrylate) Core/Shell Latexes by High-Resolution Solid-State NMR Relaxation Studies, 323
Neogi, S. See Sampson, K. J., 2095
Ng, K. See Sundaram, S. T., 2287
Norasetthekul, S.
—; Gadalla, A. M.; Ploehn, H. J.: Production of Polystyrene Particles via Aerosolization, 2101
Nwankwo, E. O.
—; Abbott, S. D.: A Simple and Efficient SEC/GPC Linear Calibration Technique Using Broad-Range Standards, 191

Oba, M.
—; Kawamonzen, Y.: Synthesis and Evaluation of Positive-Acting Photosensitive Polyimides with Phenol Moiety, 1535
O'Callaghan, K. J.
—; Paine, A. J.; Rudin, A.: Mixed Initiator Approach to the Surfactant-Free Semicontinuous Emulsion Polymerization of Large MMA/BA Particles, 2047
Ocampo, X. See Rivas, B. L., 2201
O'Donnell, J. H. See Hill, D. J. T., 1847; Rasoul, F. A., 1857
Ogata, N. See Yoshikawa, M., 1771
Ogawa, I.
—; Yamano, H.; Miyagawa, K.: Swelling of Hydrophilic Polymers. IV, 587
Ogbonna, C. I.
—; Kalay, G.; Allan, P. S.; Bevis, M. J.: The Self-reinforcement of Polyolefins Produced by Shear Controlled Orientation in Injection Molding (Note), 2131
Ogino, K.
—; Sato, H.: NMR Characterization of Styrene–Divinylbenzene Gel Beads in Swollen State Using Chloroform as Probe, 1015
Ohmura, N. See Tishchenko, G., 1341
Ohtake, H. See Seo, T., 633
Oikawa, E.
—; Tamura, S.; Arai, Y.; Aoki, T.: Synthesis of Pyridine Moieties-Containing Poly(acylhydrazone)s and Solute Separation through Their Membranes, 1205
Oishi, Y. See Mori, K., 2451
Okada, A. See Shiga, T., 787
Okazaki, M.
—; Hamada, T.; Fujii, H.; Kusudo, O.; Mizobe, A.; Matsuzawa, S.: Development of Poly(vinyl alcohol) Hydrogel for Waste Water Cleaning. II. Treatment of *N,N*-Dimethylformamide in Waste Water with Poly(vinyl alcohol) Gel with Immobilized Microorganisms, 2243
—; Hamada, T.; Fujii, H.; Mizobe, A.; Matsuzawa, S.: Development of Poly(vinyl alcohol) Hydrogel for Waste Water Cleaning. I. Study of Poly(vinyl alcohol) Gel as a Carrier for Immobilizing Microorganisms, 2235
Okisaki, F. See Torikai, A., 685
Oldervoll, F. See Andreassen, E., 1619
Oliva, L. See D'Aniello, C., 1701
Ou-Yang, H. D. See Dewalt, L. E., 265

Paine, A. J. See O'Callaghan, K. J., 2047
Paliwal, D. K. See Gupta, A. K., 1161
Pan, J.-P. See Lian, S.-M., 1577
Panamgama, L. A. See Pizzi, A., 109
Panda, A.
—; Singh, B. C.: Micellar Effect on the Polymerization. III. Kinetics of Polymerization of Acrylonitrile Initiated by Ce(IV)–Glucose System in Presence of Cationic Micelles, 1999
Panda, B. B. See Samal, R. K., 745
Pande, C. S.
—; Single, S.; Gupta, N.: Functionalization of Poly(vinyl chloride) Through Radiation-Induced Grafting, 1735
Park, C. K. See Choi, M. J., 2373
Park, D. J. See Lee, S. W., 1409
Park, D.-J. See Seo, B.-D., 1255
Patel, C. P. See Vora, R. A., 1543
Patel, G. S. See Sreenivasan, S., 2405
Patil, A. S. See Sabne, M. B., 1275
Patil, S. D. See Sabne, M. B., 1275
Paul, D. R. See Lu, M., 1175
Pawde, S. See Bhat, N. V., 2251

Pawłów, B. See Kolarz, B. N., 1317
Pearson, R. A. See Azimi, H. R., 449; Bagheri, R., 427; Hu, R., 375; Qian, J. Y., 439; Shaffer, O. L., 465
Pedretti, U. See La Mantia, F. P., 911
Pehlivan, E. See Vural, U. S., 2423
Pendyala, V. N. S. See Raja, A. R., 691
Peng, W.
—; Li, S.: Studies on Damping Behavior of PS/P(EA-*n*BA) LIPNs, 967
Peric, I. M. See Rivas, B. L., 2201
Perttilä, K. P. See Holsti-Miettinen, R. M., 1551
Pethrick, R. A. See MacKinnon, A. J., 2345
Petrović, Z. S.
—; Farris, R.: Structure–Property Relationship in Fibers Spun from Poly(ethylene terephthalate) and Liquid Crystalline Polymer Blends. I. The Effect of Composition and Processing on Fiber Morphology and Properties, 1077
—; Farris, R.: Structure–Property Relationship in Fibers Spun from Poly(ethylene terephthalate) and Liquid Crystalline Polymer Blends. II. Effect of Spinning Temperature on Fiber Properties, 1349
Phillips, J. C.
—; Chiang, A. C.: Low-Speed Tack Measurements of Fluids and Inks, 881
Pichot, C. See Ganachaud, F., 1811
Piechocki, C. See Everett, J., 179
Pientka, Z. See Lokaj, J., 1485
Piérola, I. F. See Morales, E., 1943
Piet, P. See Bon, S. A. F., 19
Pilati, F. See Ignatov, V. N., 771
Pineri, M. See Rebattet, L., 923
Pinzino, C. S. See Chappelow, C. C., 1147
Pizzi, A.
—; Panamgama, L. A.: Diffusion Hindrance vs. Wood-Induced Catalytic Activation of MUF Adhesive Polycondensation, 109
Ploehn, H. J. See Norasetthekul, S., 2101
Podzimek, Š.
—; Sýkora, V.; Horálek, J.; Švestka, Š.: Epoxy Resins Based on Bisphenol S. II. HPLC Analysis, 1491
Pomery, P. J. See Hill, D. J. T., 1847; Rasoul, F. A., 1857
Porsch, B. See Mrkvičková, L., 2033
Povolo, F.
—; Hermida, E. B.: Phenomenological Description of Strain Rate and Temperature-Dependent Yield Stress of PMMA, 55
Price, D. M. See Khan, N., 1509

Qian, J. Y.
—; Pearson, R. A.; Dimonie, V. L.; El-Aasser, M. S.: Synthesis and Application of Core–Shell Particles as Toughening Agents for Epoxies, 439
—; See Shaffer, O. L., 465
Qiu, X. See Lin, X., 2137

Radhakrishnan, S.
—; Kane, K.; Kadu, A.; Natu, H. P.: Structure Development in Processing of Polypropylene Films with Additives, 571
Raghuvanshi, R. S. See Mehta, S., 1495
Ragosta, G. See Abbate, M., 1825
Raja, A. R.
—; Pendyala, V. N. S.; Xavier, S. F.; Shah, A. C.; Nair, K. B.: Studies on Antioxidants. III. 2[(3,5-Di-*tert*-butyl-4-hydroxyphenyl)methylene]-hydrazine Carbothioamide as a Melt Stabilizer for Unstabilized Polypropylene, 691
Rao, K. P. See Narayani, R., 1761
Rasoul, F. A.
—; Hill, D. J. T.; Forsythe, J. S.; O'Donnell, J. H.; George, G. A.; Pomery, P. J.; Young, P. R.; Connell, J. W.: The Surface Properties of Fluorinated Polyimides Exposed to VUV and Atomic Oxygen, 1857
—; See Hill, D. J. T., 1847
Rebattet, L.
—; Escoubes, M.; Genies, E.; Pineri, M.: Sorption and Interactions of Gases in Polyaniline Powders of Different Doping Levels, 923
Rebouillat, S.
—; Escoubes, M.; Gauthier, R.; Vigier, A.: Characterization of Kevlar™ Fibers Using Selected Probes, 1305
Reddy, A. V. R.
—; Reddy, P. S.: Aromatic Polyamide–Imides as Materials for Membranes. I. Synthesis and Characterization, 1935
Reddy, P. S. See Reddy, A. V. R., 1935
Rezac, M. E.
—; Koros, W. J.; Miller, S. J.: Chemical Stability of Polyimide Membranes at Temperatures Near T_g, 165
Rhim, J.-W. See Lee, K.-H., 1707
Rials, T. G. See Shojaie, S. S., 1263
Rivas, B. L.
—; Maturana, H. A.; Ocampo, X.; Peric, I. M.: Adsorption Behavior of Cu^{2+} and UO_2^{2+}

Ions on Crosslinked Poly[2,2-Bis(acrylamido)acetic acid], 2201
Roberts, J. E. See Haggerty, J. F., IV, 271; Nelliappan, V., 323
Robeson, L. M. See Bott, R. H., 1593
Rodriguez, Y. See Ishida, H., 1751
Rodriguez-Galan, A. See Ruiz-Donaire, P., 41
Roggero, A. See La Mantia, F. P., 911
Rout, S. K. See Samal, R. K., 745
Roy, S. See Mohanty, S., 1947
Rudin, A. See Blom, H. P., 995; Lachtermacher, M. G., 2077, 2433; O'Callaghan, K. J., 2047
Ruiz-Donaire, P.
—; Bou, J. J.; Muñoz-Guerra, S.; Rodriguez-Galan, A.: Hydrolytic Degradation of Polyamides Based on L-Tartaric Acid and Diamines, 41
Rzaev, Z. M. O. See Akovali, G., 645

Sabne, M. B.
—; Thombre, S. M.; Patil, A. S.; Patil, S. D.; Idage, S. B.; Vernekar, S. P.: Barrier Properties of Surface Sulfonated HDPE Films, 1275
Sagar, A. D.
—; Merrill, E. W.: Properties of Fatty-Acid Esters of Starch, 1647
Sagl, D. See Bott, R. H., 1593
Sah, H.
—; Chien, Y. W.: Degradability and Antigen-Release Characteristics of Polyester Microspheres Prepared from Polymer Blends, 197
Sailaja, R. R. N.
—; Kumar, A.: Semianalytical Solution of Irreversible Anionic Polymerization with Unequal Reactivity in Batch Reactors, 1865
Samal, R. K.
—; Panda, B. B.; Rout, S. K.; Mohanty, M.: Effect of Chemical Modification on FTIR Spectra. I. Physical and Chemical Behavior of Coir, 745
Samanta, A. K. See Ghosh, P., 1727
Sambasivam, M.
—; Klein, A.; Sperling, L. H.: The Molecular Basis of Fracture in Polystyrene Films: Role of Molecular Weight, 357
Sampson, K. J.
—; Neogi, S.: Modeling High-Viscosity, Melt-Phase, Condensation Polymer Reactors with a Time-Scales Analysis, 2095
Santore, M. M. See Kelly, M. S., 247
Santra, R. N. See Mohanty, S., 1947
Sareen, R.
—; Gupta, S. K.: Multiobjective Optimization of an Industrial Semibatch Nylon 6 Reactor, 2357
Sato, H. See Ogino, K., 1015
Sauvet, G. See Hazziza-Laskar, J., 77
Sawan, S. P. See Shieh, Y.-T., 2013
Scarinzi, G. See Abbate, M., 1825
Scherzer, T.
Rheo-optical FTIR Spectroscopy of Epoxy Resins, 501
Schroeder, K.
—; Klee, D.; Höcker, H.; Leute, A.; Benninghoven, A.; Mittermayer, C.: Surface Analysis of PP/EVA Blends Modified with Amino Acids for Biomedical Applications, 699
Schuman, T. P. See Thames, S. F., 943
Scicchitano, M. See Tonelli, C., 1407
Scriven, L. E. See Cairncross, R. A., 1279
Segall, I.
—; Dimonie, V. L.; El-Aasser, M. S.; Soskey, P. R.; Mylonakis, S. G.: Core–Shell Structured Latex Particles. I. Copolymerization of Styrene/Benzyl Methacrylate as a Choice for Shell Material and Characterization of Poly(*n*-butyl acrylate) Core Latex Particles, 385
—; Dimonie, V. L.; El-Aasser, M. S.; Soskey, P. R.; Mylonakis, S. G.: Core–Shell Structured Latex Particles. II. Synthesis and Characterization of Poly(*n*-butyl acrylate)/Poly(benzyl methacrylate–styrene) Structured Latex Particles, 401
—; Dimonie, V. L.; El-Aasser, M. S.; Soskey, P. R.; Mylonakis, S. G.: Core–Shell Structured Latex Particles. III. Structure–Properties Relationship in Toughening of Polycarbonate with Poly(*n*-butyl acrylate)/Poly(benzyl methacrylate–styrene) Structured Latex Particles, 419
Šegudović, N. See Jarm, V., 1967, 1973
Sen, A. K. See Tripathi, V. S., 1681
Seo, B.-D.
—; Park, D.-J.; Ha, C.-S.; Cho, W.-J.: Synthesis and Properties of Acrylonitrile–EPDM–*N*-Vinylcarbazole Graft Terpolymer, 1255
Seo, M. P.
—; Shin, B. Y.; Han, D. H.; Cho, B.: Internal Pressures and Thermal Pressure

Coefficients for Solid Polymers, 143
Seo, T.
—; Ohtake, H.; Unishi, T.; Iijima, T.: Permeation of Solutes Through Chemically Modified Chitosan Membranes, 633
Seppälä, J. V. See Holsti-Miettinen, R. M., 1551
Sertić, S. See Jarm, V., 1973
Sforza, M. See Bernal, C. R., 1
Sfyrakis, J. See Simitzis, J., 541
Shaffer, O. L.
—; Bagheri, R.; Qian, J. Y.; Dimonie, V.; Pearson, R. A.; El-Aasser, M. S.: Characterization of the Particle–Matrix Interface in Rubber-Modified Epoxy by Atomic Force Microscopy, 465
Shah, A. See Dave, A., 853
Shah, A. C. See Raja, A. R., 691
Shalaby, S. W. See Deng, M., 2111
Shang, S. See Zhang, Y., 1803
Shanks, R. A. See Long, Y., 527
Sharma, A. See Sundaram, S. T., 2287
Shelver, S. R. See McGill, W. J., 1433
Shieh, Y.-T.
—; Sawan, S. P.: Hydropolysilanes as Precursors to Silicon Carbide, 2013
Shiga, T.
—; Okada, A.; Kurauchi, T.: Magnetroviscoelastic Behavior of Composite Gels, 787
Shimada, R. See Yamaura, K., 1787
Shin, B. Y. See Seo, M. P., 143
Shinn, T.-H.
—; Lin, C.-C.: Studies on Co[poly(ethylene terephthalate-*p*-oxybenzoate)] Thermotropic Copolyester: Thermomechanical and Thermodynamic Properties, 1981
Shiraishi, N. See Lin, L., 1297
Shojaie, S. S.
—; Rials, T. G.; Kelley, S. S.: Preparation and Characterization of Cellulose Acetate Organic/Inorganic Hybrid Films, 1263
Shun, Q. See Yao, K., 565
Shyichuk, A. V.
Accurate Description of Intrinsic Viscosity Changes Under Polymer Degradation: Narrow Schulz Distributions, 2399
Siddiq, M. See Wu, C., 1779
Sikora, A. See Lokaj, J., 1485
Silebi, C. A. See Filippov, L. K., 231; Jenkins, R. D., 209
Simard, Y. D. M.
—; Kamal, M. R.; Cooper, D. G.: Thermolysis of Polystyrene, 843
Šimek, L.
—; Bohdanecký, M.: Extraction Fractionation of Segmented Polyurethanes According to Composition, 897
Simenel, I. A. See Lozinsky, V. I., 171
Simitzis, J.
—; Sfyrakis, J.; Faliagas, A.: Adsorption Properties and Microporous Structure of Adsorbents Produced from Phenolic Resin and Biomass, 541
Simmons, G. W. See Arora, A., 313
Simmons, S.
—; Thomas, E. L.: Structural Characteristics of Biodegradable Thermoplastic Starch/Poly(ethylene–vinyl alcohol) Blends, 2259
Singh, B. C. See Panda, A., 1999
Single, S. See Pande, C. S., 1735
Škvor, J. See Tishchenko, G., 1341
Smith, T. G. See Yang, L.-Y., 117, 129
Smolders, C. A. See Wessling, M., 1959
Soares, B. G. See Jansen, P., 101
Sohn, B. H.
—; Gratt, J. A.; Lee, J. K.; Cohen, R. E.: The Hydrogenation of Ring Opening Metathesis Polymerization Polymers, 1041
Solodova, E. V. See Lozinsky, V. I., 171
Solski, L. See Masiulanis, B., 1441
Soskey, P. R. See Segall, I., 385, 401, 419
Sourirajan, S. See Hamza, A., 613
Sperling, L. H. See Hu, R., 375; Mishra, V., 331, 347; Sambasivam, M., 357
Spiegelberg, S. H.
—; Cohen, R. E.; Argon, A. S.: Effects of Radiation on Mechanical Properties of Polybutadiene/Polystyrene Blends, 85
Sreenivasan, S.
—; Iyer, P. B.; Patel, G. S.: Studies on Swelling of Cotton Fibers in Alkali Metal Hydroxides. IV. Influence of Initial Fiber Properties and Variations in Fine Structure on Tensile Behavior, 2405
Staniszewska-Kuś, J. See Masiulanis, B., 1441
Stößer, R. See Uhlich, T., 1567
Sulaiman, C. S. See Abdullah, I., 1125
Sun, Q. Y. See Guo, J. P., 2121
Sun, Y-M.
—; Wang, C-S.: Studies on the Formation of Novel Copolyesters Containing Naphthalene and Aralkyloxy Structures, 1189
Sun, Z. See Li, X., 1991
Sundaram, S. T.
—; Zhang, Y. Z.; Sharma, A.; Ng, K.; Brodman, B. W.:

Screening of Mycelial Fungi for Nitrocellulose Degradation, 2287
Sundberg, D. C. See Durant, Y. G., 1607
Sundelöf, L.-O. See Mrkvičková, L., 2033
Suzuki, M. See Yamaura, K., 1787
Švestka, Š. See Podzimek, Š., 1491
Sýkora, V. See Podzimek, Š., 1491
Szosland, L.
—; East, G. C.: The Dry Spinning of Dibutyrylchitin Fibers, 2459

Tai, H. J.
—; Jang, B. Z.; Wang, J. B.: Synthesis and Processing of PMR-15/LaRC-TPI Semi-IPN Systems, 2293
Talwar, G. P. See Mehta, S., 1495
Tamura, S. See Oikawa, E., 1205
Tanguy, P. See Dubois, C., 827
Tanigami, T. See Yamaura, K., 1787
Tartari, V. See Ignatov, V. N., 771
Teh, J. W. See Blom, H. P., 995
Terada, K. See Hirose, T., 1031
Thakur, A.
—; Banthia, A. K.; Maiti, B. R.: Studies on the Kinetics of Free-Radical Bulk Polymerization of Multifunctional Acrylates by Dynamic Differential Scanning Calorimetry, 959
Thames, S. F.
—; Yu, H.; Wang, M. D.; Schuman, T. P.: Dehydration of Lesquerella Oil, 943
Theretz, A. See Ganachaud, F., 1811
Thiel, B. L. See Dunaway, D. L., 675
Thomas, E. L. See Simmons, S., 2259
Thomas, S. See Kumar, R. P., 597
Thombre, S. M. See Sabne, M. B., 1275
Tiganis, B. E. See Long, Y., 527
Tinio, E. G. See Lyons, J. S., 957
Tishchenko, G.
—; Bleha, M.; Škvor, J.; Bureš, L.; Mizutani, Y.; Ohmura, N.: Morphology of Microporous Neosepta Ion-Exchange Membranes and Its Effect on Separation of Biological Mixtures, 1341
Tomaschewski, G. See Uhlich, T., 1567
Tomescu, M. See Hubca, G., 1675
Tonelli, C.
—; Trombetta, T.; Scicchitano, M.; Castiglioni, G.: Erratum to "New Perfluoropolyether Soft Segment Containing Polyurethanes", 1407
Torikai, A.
—; Chigita, K.-I.; Okisaki, F.; Nagata, M.: Photooxidative Degradation of Polyethylene Containing Flame Retardants by Monochromatic Light, 685
Toselli, M. See Ignatov, V. N., 771
Tripathi, V. S.
—; Lal, D.; Sen, A. K.: Studies on Thermodynamic Compatibility of Nitrile Rubber and Polybutadiene by Inverse Gas Chromatography, 1681
Tripathy, D. K. See Bandyopadhyay, S., 719
Trivedi, D. C. See Dhawan, S. K., 815
Trivedi, H. C. See Vora, R. A., 1543
Trivedi, M. C. See Vora, R. A., 1543
Trombetta, T. See Tonelli, C., 1407
Trumbo, D. L.
—; Giddings, C. L.; Wilson, L. R. A.: Terpene–Anhydride Resins as Coating Materials, 69
Tsai, C.-C. See Lee, W.-F., 1423
Tsai, F.-R. See Liu, J.-H., 1713
Tsai, S. See Wang, Y., 2221
Tsubokawa, N.
—; Ueno, H.: Surface Grafting of Polymers onto Carbon Thin Film, 1221
Tsuji, H.
—; Ikada, Y.: Blends of Isotactic and Atactic Poly(lactide). I. Effects of Mixing Ratio of Isomers on Crystallization of Blends from Melt, 1793

Uddin, M. K. See Khan, M. A., 31
Ueno, H. See Tsubokawa, N., 1221
Uhlich, T.
—; Ulbricht, M.; Tomaschewski, G.; Stößer, R.: ESR Studies of Chemically Modified and Photocrosslinked Poly(vinyl alcohol) Gels, 1567
Ulbricht, M. See Uhlich, T., 1567
Unishi, T. See Seo, T., 633

Vaishnav, U. See Dave, A., 853
Valkanas, G. N. See Konstantakopoulos, I. C., 1517
Van Beek, H. See Bon, S. A. F., 19
Vanderhoff, J. W. See Kim, J.-I., 279
Varanasi, P. P. See Chu, Y., 2161
Varanasi, S. See Chu, Y., 2161
Venkidusamy, P. See Mishra, S. P., 2229
Verhoeven, M. See Azeez, A., 1741
Vernekar, S. P. See Sabne, M. B., 1275
Vigier, A. See Rebouillat, S., 1305
Vinci, M. See La Mantia, F. P., 911
Viney, C. See Dunaway, D. L., 675

Vittoria, V. See D'Aniello, C., 1701
Vora, R. A.
—; Trivedi, H. C.; Patel, C. P.; Trivedi, M. C.: Grafting of Acrylonitrile onto Styrene–Maleic Acid Copolymer by Tetravalent Cerium Ion, 1543
Vugmeister, B. E.
—; Hong, D. C.: Orientational Ordering of Grafted Nonmobile Rod Polymers, 297
Vural, U. S.
—; Ersoz, M.; Pehlivan, E.: Ligand Sorption Kinetics of Aromatic Amines on New Ligand-Exchanger Sporopollenin in Cobalt Ion Form, 2423

Wang, C-S. See Sun, Y-M., 1189
Wang, D. See Zhang, Y., 1803
Wang, H. See Huang, J., 11
Wang, J. B. See Tai, H. J., 2293
Wang, M. D. See Thames, S. F., 943
Wang, P. See Xu, C., 2155
Wang, Q.
—; Kong, X.; Zhu, L.; Zhe, J.; Fan, Y.: A Study on the Tribological Behavior of Polyethylene. II. Effects of Operating Conditions on the Friction Behavior of Polyethylene, 903
Wang, S. See Li, J., 1455
Wang, T. See Yao, K., 565
Wang, X. See Chen, X., 1401
Wang, Y.
—; Xue, G.; Chen, Y.; Tsai, S.; Jiang, L.: Adhesion Promotion at High Temperature for Epoxy Resin or Polyimide onto Metal by a Two-Component Coupling System of Polybenzimidazole and 4-Aminophenyl Disulfide, 2221
Wang, Y.-H.
—; Hong, Y.-L.; Hong, J.-L.: Cure Kinetics of a Flexible Aromatic Dicyanate with Schiff Base Structure, 1585
Weick, B. L.
—; Bhushan, B.: Viscoelastic and Shrinkage Behavior of Ultrathin Polymeric Films, 2381
Wen, J.
—; Mark, J. E.: Synthesis, Structure and Properties of Poly(dimethylsiloxane) Networks Reinforced by *in Situ*-Precipitated Silica–Titania, Silica–Zirconia, and Silica–Alumina Mixed Oxides, 1135
Wesslén, B. See Jannasch, P., 753
Wessling, M.
—; Huisman, I.; Boomgaard, Th. v. d.; Smolders, C. A.: Time-Dependent Permeation of Carbon Dioxide Through a Polyimide Membrane Above the Plasticization Pressure, 1959
Wesson, R. D. See Chen, C. H., 1087, 1093, 1101, 1107
White, R. L. See Lin, R., 1151
Wilson, L. R. A. See Trumbo, D. L., 69
Wojaczyńska, M. See Kolarz, B. N., 1317
Woolfson, A. D.
—; McCafferty, D. F.; McCallion, C. R.; McAdams, E. T.; Anderson, J. McC.: Moisture-Activated, Electrically Conducting Bioadhesive Hydrogels as Interfaces for Bioelectrodes: Effect of Film Hydration on Cutaneous Adherence in Wet Environments, 1291
Wu, C.
—; Siddiq, M.; Jiang, S.; Huang, Y.: Light-Scattering and Size-Exclusion Chromatographic Characterization of Hydroxyethyl Cellulose Acetate, 1779

Xavier, S. F. See Raja, A. R., 691
Xie, H.-Q.
—; Guan, J.-G.; Guo, J.-S.: Direct Synthesis of Electrorheological Suspension Containing Salt of Poly(methacrylic acid) and Its Electrorheological Effect, 951
Xu, C.
—; Wang, P.; Bi, X.: Continuous Vapor Phase Polymerization of Pyrrole. I. Electrically Conductive Composite Fiber of Polypyrrole with Poly(*p*-phenylene terephthalamide), 2155
Xu, J. See Lin, X., 2137; Liu, Y., 485
Xu, M. X.
—; Zhang, W. H.; Xue, P. X.; Gao, W.; Yao, K. D.: Relationship between Dynamic Response of Surface to Environmental Changes and Adhesive Property of Polyacrylate, 1047
Xue, G. See Wang, Y., 2221
Xue, P. X. See Xu, M. X., 1047

Yamamoto, M. See Yamaura, K., 1787
Yamano, H. See Ogawa, I., 587
Yamasaki, A.
—; Iwatsubo, T.; Masuoka, T.; Mizoguchi, K.: Pervaporation Performance of Asymmetrically Crosslinked PVA Membranes (Note), 1657
Yamaura, K.
—; Suzuki, M.; Yamamoto, M.; Shimada, R.; Tanigami, T.: Solutions and Gel Spinning Gelation of Poly(vinyl alcohol)/Phenol/Water, 1787
Yang, C. B.
—; Hsu, C. C.: Propene Polymerization with $MgCl_2$-Supported $TiCl_4$/

Dioctylphthalate Catalyst. I. Catalyst Behavior, 1229
—; Hsu, C. C.: Propene Polymerization with $MgCl_2$-Supported $TiCl_4$/ Dioctylphthalate Catalyst. II. Effects of Polymerization Conditions on the Microstructure of Isotactic Polymer, 1237
—; Hsu, C. C.: Propene Polymerization with $MgCl_2$-Supported $TiCl_4$/ Dioctylphthalate Catalyst. III. The Effects of Polymerization Conditions on Molecular Weights and Molecular Weight Distribution, 1245
Yang, L.-Y.
—; Bigio, D.; Smith, T. G.: Melt Blending of Linear Low-Density Polyethylene and Polystyrene in a Haake Internal Mixer. II. Morphology-Processing Relationships, 129
—; Smith, T. G.; Bigio, D.: Melt Blending of Linear Low-Density Polyethylene and Polystyrene in a Haake Internal Mixer. I. Compatibilization and Morphology Development, 117
Yang, M.-C.
—; Yu, D.-G.: Influence of Activation Time on the Properties of Polyacrylonitrile-Based Activated Carbon Hollow Fiber, 185
Yang, R. See Choi, H. J., 807
Yao, K.
—; Cheng, G.; Lu, T.; Zhu, W.; Shun, Q.; Wang, T.; Zhang, D.: Acoustic Absorption Performance of Polyacrylic Composite Latex, 565
Yao, K. D. See Guo, J. P., 2121; Xu, M. X., 1047
Yao, X. See Chen, X., 1401
Yao, Y. See Lin, L., 1297
Yoo, S.
—; Harelle, L.; Daniels, E. S.; El-Aasser, M. S.; Klein, A.: Interfacial Aspects of Strength Development in Poly(methyl methacrylate)-Based Latex Systems, 367
Yoshikawa, M.
—; Fujimoto, K.; Kinugawa, H.; Kitao, T.; Kamiya, Y.; Ogata, N.: Specialty Polymeric Membranes 5. Selective Permeation of Carbon Dioxide through Synthetic Polymeric Membranes Having 2-(*N,N*-Dimethyl)amino-ethoxycarbonyl Moiety, 1771
Yoshioka, M. See Lin, L., 1297
Young, P. R. See Hill, D. J. T., 1847; Rasoul, F. A., 1857
Yu, D.-G. See Yang, M.-C., 185
Yu, H. See Thames, S. F., 943
Yu, T.
—; Liu, H.; Deng, J.; Liu, Y.: Characterization of Regenerated Silk Fibroin Membranes for Immobilizing Glucose Oxidase and Construction of a Tetrathiafulvalene-Mediating Glucose Sensor, 973
Yun, J. See Azeez, A., 1741

Zhang, C.
—; Gilbert, R. D.; Fornes, R. E.: Preparation of Ultrahigh Molecular Weight Polyacrylonitrile and Its Terpolymers, 2067
Zhang, D. See Yao, K., 565
Zhang, J. See Jiang, W., 537
Zhang, S. See Chen, X., 1401
Zhang, W. H. See Xu, M. X., 1047
Zhang, X. See Zhang, Y., 1803; Zhu, W., 515, 551
Zhang, Y.
—; Shang, S.; Zhang, X.; Wang, D.; Hourston, D. J.: Influence of Structure of Hydroxyl-Terminated Maleopimaric Acid Ester on Thermal Stability of Rigid Polyurethane Foams, 1803
Zhang, Y. X. See Zhu, S.-H., 621
Zhang, Y. Z. See Sundaram, S. T., 2287
Zhe, J. See Wang, Q., 903
Zhen, G. See Lin, X., 2137
Zhou, C. See Chen, X., 1401; Huang, J., 11
Zhou, Q. See Guo, J. P., 2121
Zhou, W.
—; Lu, F.: Synthesis and Properties of Polybenz-imidazobenzophen-anthrolines, 1561
Zhou, Y. J.
—; Luner, P.; Caluwe, P.: Mechanism of Crosslinking of Papers with Polyfunctional Carboxylic Acids, 1523
Zhu, L. See Wang, Q., 903
Zhu, S.-H.
—; Chan, C.-M.; Zhang, Y. X.: Poly(vinyl chloride)/ Styrene-Butadiene Rubber Blends Prepared by Dynamic Vulcanization with Nitrile Rubber as the Compatibilizer, 621
Zhu, W.
—; Zhang, X.; Feng, Z.; Huang, B.: Effect of Ethylene–Propylene Copolymer with Residual PE Crystallinity on Mechanical Properties and Morphology of PP/ HDPE Blends, 551
—; Zhang, X.; Huang, B.; Feng, Z.: Modification of PP/ HDPE Blends by PP–PE Sequential Polymerization Product, 515
—; See Yao, K., 565
Zubov, A. L. See Lozinsky, V. I., 171

Journal of Applied Polymer Science

Subject Index to Volume 58

ABS resins, 1
Acetalization, 1567
Acrylate monomers, 1117
Acrylic copolymers, 1925
Acrylonitrile–butadiene–styrene (ABS), 1409
Acrylonitrile–butadiene–styrene (ABS) terpolymer, 1255
Activated carbon hollow fiber (ACHF), 185
Activation time, 185
Adhesion, 2221
Adhesive applications, 1593
Adhesives, 1047, 1689, 1891
Adsorbing hydrophobic groups, 247
Adsorption, 231, 247, 265, 541
Aerosolization, 2101
Aging, 995
Algebraic equations, 559
Amino acids, 2025
Anion initiation, 11
Anionic bulk polymerization, 2333
Anionic polymerization, 1865
Anisotropic swelling studies, 597
Annealing, 491
Anticancer drug, 1761
Antigen-release, 197
Antioxidants, 691
Aqueous solutions, 1967, 1973
Aromatic amines, 2423
Aromatic copolyesters, 1509
Arsenic waste, 2039
Atomic force microscopy (AFM), 465
Atomic oxygen flux, 1857
Attenuated total reflection (IR-ATR), 699
Attenuated total reflection Fourier transform infrared spectroscopy (ATR-FTIR), 1741
Azoinitiators, 1811

Balillus sublitis, 1991
Batch reactors, 1865
Benzoxazine precursors, 1751
Bioadhesive hydrogel films, 1291
Biocidal polymers, 77
Biodegradability, 2259
Biodegradable hydrogels, 801, 807
Bioelectrodes, 1291
Biomass, 541
Biomedical materials, 699
Biomedical polyurethanes, 1441
Bioreactive end groups, 1811
Birefringent fluids, 1509
Bisphenol S (BS), 1491
Blend membranes, 1485
Blends, 85, 101, 117, 129, 197, 419, 515, 537, 551, 621, 653, 699, 753, 779, 911, 981, 995, 1063, 1077, 1087, 1125, 1175, 1349, 1393, 1455, 1485, 1517, 1551, 1593, 1681, 1793, 1891, 1947, 2127, 2229, 2259, 2373
Block copolymers, 1041
Block order networks, 1517
Blow film extrusion, 571
Bovine serum albumin (BSA), 197
Bulk plasticization, 711
Bulk polymerization, 827

^{13}C-NMR spectroscopy, 827
^{13}C solution NMR, 2141
Camphanediol moieties, 1713
Capillary hydrodynamic fractionation, 375
Carbon black crosslinking, 1433
Carbon thin film, 1221
Carboxylated nitrile rubber (XNBR), 719
Catalyst acidity, 1151
Catalyst activity, 1229
Catalytic cracking, 1151
Cationic micelles, 1999
Cellulose, 1669
Cellulose fibers, 1365
Cellulose mixed derivatives, 1063
Chain transfer agent, 967
Charge-transfer complexes (CTC), 2415
Chelate membranes, 2373
Chemical bridging, 981
Chemical etching, 1577
Chemical treatments, 1675
Chiral polymers, 1713
Chitin fibers, 2459
Chitosan membranes, 633
Chlorinated natural rubber, 2063
Chloroform, 1015
Circular dichroism, 2025
Clay, 1401
Clay suspensions, 1721
Closure conditions, 1877
Coating, 1593
Coatings, 69, 1279, 1925, 2141
Coir fibers, 745
Colloidal particles, 271
Composite films, 2251
Composites, 147, 449, 597, 835, 2177
Compression molded blends, 653
Computer simulation, 1325
Concomitant shear deformation, 427
Conductance, 835
Conducting polymers, 815
Conservation equations, 1501
Constrained geometry catalyst technology (CGCT), 1371
Continuous vapor phase polymerization, 2155
Copolyesters, 1189
Copolymerization, 1981
Core/shell ionomeric latexes, 301, 313
Core/shell latex particles, 465
Core/shell latexes, 323
Core/shell structured latex particles, 375

Core–shell particles, 439
Core–shell structured latex particles, 385, 401, 419
Corotating intermeshing extruder, 2077
Corotating intermeshing twin-screw extruder, 2433
Corotating twin screw extrusion, 1501
Corrected equilibrium water content (CEWC), 1291
Cotton fibers, 2405
Counterions, 1967
Crosslinked membranes, 1913
Crosslinking, 101, 109, 367, 385, 465, 485, 745, 967, 1015, 1117, 1523, 1657, 1707, 1839, 1913, 2077, 2111, 2185, 2193
Cryostructuration, 171
Crystal modifications, 663
Crystallization, 571, 663, 753, 1371, 1793
Cure kinetics, 1585
Curing kinetics, 2293
Cyclopolymerization, 1561
Cylindrical fibers, 2325

D,L-lactide, 1495
Degradable thermoplastics, 1647
Degradation, 31, 41, 527, 1135, 1509, 2399
Dehydration, of lesquerella oil, 943
Density, 2307
Density measurements, 2229
Dental Burr grinding instrument, 357
Desorption, 231
Diblock copolymers, 265
Differential scanning calorimetry, 375
Differential scanning calorimetry (DSC), 331, 565, 579, 869, 911, 959, 1093, 1101, 1161, 1189, 1371, 1433, 1509, 1585, 1689, 1751, 1793, 1935, 2185, 2193, 2259
Differential thermal analysis (DTA), 523
Diffusion hindrance, 109
Diffusion-controlled sorption, 2325
Dilatometry, 587
Dimensionless independent variables, 159
Dispersion copolymerization, 1991
Divalent salts, 1973
DMAAPS monomer, 1423
Drug Delivery System (DDS), 1335
Drug delivery system (DDS), 2121
Dry spinning, 2459
Drying, of polymer–solvent solution, 1279
Ductile fracture, 537
Dynamic contact angle (DCA), 1047
Dynamic light scattering (DLS), 2033
Dynamic mechanical analysis (DMA), 301, 565, 1689
Dynamic mechanical spectroscopy (DMS), 331
Dynamic vulcanization, 621

Elastic solids, 1393
Elastomers, 1681, 2039
Electrical behavior, of PC discs doped with $NiCl_2$, 2415
Electrical conductivity, 935, 2155
Electrochemical polymerization, 2251
Electron microdiffraction (ED), 2333
Electronic absorption bands, 973
Electrorheological (ER) activity, 951
Ellipsometry, 231
Empirical models, 159
Emulsion polymerization, 375, 385, 439, 565, 861, 967, 2047
Encapsulation, 2039
Endothelial cells, 699
Energetic polymers, 579
Energy dispersive spectroscopy (EDS), 1669
Environmental changes, 1047
Enzymatic degradation, 801
Enzymes, 1317
Epoxies, 439
Epoxy resin, 1305
Epoxy resins, 501, 1491, 2221, 2345
Equilibrium morphology, 1607
Etching, 1577
Ethers, 1063
EVA-containing mercapto groups, 101
Extraction, 897

Fade-o-meter, 1409
Falling dart impact tester, 2207
Fatigue behavior, 869
Fatigue crack propagation (FCP), 869
Fatigue crack propagation (FCP) resistance, 449
Ferromagnetic powders, 1007
Fiber orientation, 597
Fiber reinforced plastic (FRP) composite, 2177
Fiber spinning, 1077
Fiber-to-fiber variations, 1619
Fibers, 663, 675, 745, 1305, 1349, 1365, 1619, 1633, 1901, 2067, 2155, 2325, 2405, 2459
Fiber–matrix interaction, 597
Fibrillation, 1077
Fickian diffusion, 1335
Fillers, 1135
Films, 69, 291, 565, 571, 645, 1021, 1263, 1275, 1291, 1577, 2251, 2381
Flame retardants, 685
Flory distribution, 2399
Flory-Fox relation, 2033
Flory–Huggins interaction parameter χ, 2213
Fluid absorption, 853
Fluorescence optical microscopy, 779
Foams, 1803
Fourier transform infrared (FT-IR) method, 1401
Fourier transform infrared (FTIR) spectroscopy, 1161, 1751
Fourier transform infrared spectroscopy (FTIR), 331, 1825
Fractionation, 897
Fracture mechanics studies, 1
Fractures, molecular basis, 357
Free radical initiator, 1147
Free radical polymerization, 1423

Free-radical bulk polymerization, 959
Friction behavior of polyethylene, 903
Functionalization, 1735
Fusion levels, of processed compounds, 1093, 1101, 1107

Galerkin's method, 1279
Gamma irradiation, 801, 807, 2111
Gas penetration, 793
Gas permeability, 485, 1031, 1913
Gas permselectivity, 485
Gas separation, 1205, 1465, 2137
Gas solubility, 2213
Gas sorption, 923
Gas transport, 1021, 1031
Gas-assisted injection molded spiral tubes, 793
Gaussian (pseudo-Flory) model, 191
Gel beads, 1015
Gel fraction formation, 1325
Gel permeation chromatography (GPC), 685, 1409
Gel spinning, 1787
Gel swelling thermodynamics, 2161
Gelatin, 95
Gelatin microspheres, 1761
Gels, 787, 1007, 1517, 1567, 1787
Gibbs–Thomson equation, 1371
Glass fibers, 2177
Glass transition temperature, 165, 501
Glass transition temperatures, 375
Glass transitions temperatures, 347
Glassy polyimide, 1959
Glassy polymers, 55
Global thermal stability, 1325
Glucose sensor, 973
GPC method, 729
Gradient polymers, 2207
Gradual polyaddition kinetic model, 729
Graft copolymerization, 1543, 1727
Graft copolymers, 753
Graft efficiency, 2005
Graft polymerization, 19, 2005
Graft terpolymer, 1255
Graft yield, 2005
Grafted rod polymers, 297
Grafting, 1221, 1901

^{1}H-NMR spectrometry, 559
Haake internal mixer, 117, 129
Haake torque rheometer, 1093, 1101, 1107
Heat resistance, 1255
Heat treatments, 1675
Hessian cloth, 31
High temperature gas separation applications, 165
High-density polyethylene (HDPE), elastic modulus, 2429
High-performance liquid chromatography (HPLC), 861, 1491
High-temperature resistant polymers, 1535
High-viscosity, condensation polymers, 2095
Homopolymer, 2005
Homopolymerization, 1147
Hydrogels, 801, 807, 853, 1291, 1335, 2161, 2235, 2243
Hydrogenation, 1041
Hydrolytic degradation, 41, 1689
Hydrophilic polymers, 587
Hydrophobicity, 1567
Hydropolysilanes, 2013
HZSM-5 channel volume, 1151

Immobilization, of enzymes, 1317
Immobilization, of microorganisms, 2235, 2243
Immobilized serum albumin membranes, 2025
Immunoglobulin (Ig) fractions, 1341
Impact strength, 537
In vitro monocyte adhesion, 1741
In vitro release behavior, 2121
Industrial dryer, 1279
Industrial semibatch reactor, 2357
Infrared (IR) spectra, 973
Infrared (IR) spectroscopy, 1675
Injection molding, 653, 995, 1551, 2131
Interfacial behavior, 551
Interfacial crosslinking, 367
Interfacial morphology, 247
Interfacial polycondensation, 1465
Internal pressure, 143
Interpenetrating polymer network (IPN), 375, 491, 2207
Intraparticle ion-exchange kinetics, 2423
Inverse emulsion polymerization, 951
Inverse gas chromatography (IGC), 2057
Inverse gas chromatography technique (IGC), 1681
Ion-exchange capacities, 613
Ion-exchange membranes, 1341
Ionic aggregate formation, 301
Ionic polarization mechanism, 951
Irradiation, 935
Isoflavones, 2121
Isothermal crystallization rate, 571
Izod impact testing, 419

J-integral analysis, 1
Jones–Dole equation, 587

KEVLAR™ fibers, 1305
Kinetics, 1999

Langmuir sorption, 633
Lanthanide catalysts, 771
Laser light scattering (LLS), 1779
Latex interpenetrating polymer networks (LIPNs), 967
Latex particles, 279, 357, 419, 1607
Latexes, 301, 313, 367
Lesquerella oil dehydration, 943
Lewis acid, 1669
Lewis acidic nature, 291
Lewis basic nature, 291
Ligand-exchanger sporopollenin, 2423
Ligand-sorption process, 2423
Light transmittance, of gels, 1787
Light-scattering, 375

Limited aqueous system, 1727
Linear low-density polyethylene (LLDPE) polymers, 2077
Linear polyurethanes, 729
Liquefaction, 1297
Liquid natural rubber (LNR), 1125
Loomstate cotton fabric, 2005
Low-speed tack measurements, 881
Lyotropic cellulosic mesophase, 1365

Macromolecular interdiffusion, 367
Macroscopic shear, 2131
Macroscopic viscoelastic behavior, of gels, 787
Magnetic polymer microspheres, 1991
Magnetomechanical system, 1007
Mark–Houwink exponent, 2399
Mass transfer, 2095
Mass transfer coefficients, 279
Mass-transfer limitations, 1877
Matrix resins, 2177
Maxwell–Wagner–Sillers relaxation process, 2345
Melamine, 559
Melamine–urea–formaldehyde (MUF) adhesive resins, 109
Melt, 1793
Melt blending, 117, 129, 1947
Melt blowing, 159
Melt polycondensation, 1189, 1473
Melt polymerization, 1495
Melt spinning, 663
Melt stabilizers, 691
Membrane permeability, 2137
Membrane polymers, 1935
Membrane potential, 2025
Membranes, 165, 1455, 1485, 1561, 1657, 1771, 1913
Metal ions, 2201
Metal processing, 2451
Metallic catalysts, 1189
Metastable phase diagrams, 331
MHK-500 friction and wear test machine, 903
Micellar effect, 1999
Micellization, 265
Microcracking, 2293
Microorganisms, 2235, 2243
Microporous Neosepta ion-exchange membranes, 1341
Microspheres, 95, 197, 1991
Microstructure, 1237
Miscibility, of blends, 1947
Mixed initiator combination, 2047
Model linear associative polymers, 209
Modulus, 597
Molar mass, 527
Molar mass distribution, 527
Molecular interactions, 2373
Molecular orientation, 501
Molecular probes (dyes), 2325
Molecular weight, 1245, 1495
Molecular weight distribution (MWD), 209, 357, 1245, 1325, 1633, 1865, 2067, 2399
Moment equations, 1877
Monodisperse particles, 19
Monodisperse polymer particles, 2047
Monomer partitioning, 347
Monomer transfer rate, 279
Monomers, 2013
Morphology control, 491
Morphology development, 1607
Multifilament melt spinning, 1619
Multifunctional acrylates, 959
Multihole melt-blowing die data, 159
Multiobjective Pareto optimal solutions, 2357
Multiple measurements, 1385
Mycelial fungi, 2287

Natural rubber (NR), 1125
Natural rubber (NR) vulcanizates, 1401
Neutralization, 1973
Nitrocellulose degradation, 2287
Nonionic surfactants, 271
Nonisothermal bulk polymerization, 959
Nonuniform cooling, 1619
Novolac resin, 1297
Nylon 6, 1175, 2357

Oil-based dispersion inks, 881
On-line temperature testing device, 903
One-phase solutions, 2307
Optical microscopy, 779
Optically active compounds, 1713
Oral drug administration, 1761
Organic/inorganic hybrid (OIH) films, 1263
Orientational ordering, of grafted rod polymers, 297
Oxetane derivatives, 579
Oxidized carbon black, 719
Oxiranes, 559
Oxygen barrier properties, 1551
Oxygen concentration, 587
Oxygen/nitrogen separation, 2373
Ozawa's method, 1423

Palierne's model, 1393
Papers, treated with polyfunctional carboxylic acids, 1523
Particle size, 385, 537
Particle–epoxy interfaces, 439
Partition, 633
Peroxide treatment, 2077
Peroxide-modified materials, 2433
Pervaporation, 1657, 1707
Pervaporation (PV), 1205
Phase inversion, 1551
Phase morphology, 117, 129
Phase separation, 491, 779, 2345
Phenolated wood/phenol/formaldehyde cocondensed novolac-type resin, 1297
Phenolic resin, 541
Phenolic resins, 1751
Photochemical crosslinking, 1567
Photocrosslinking, 485
Photodegradation, 685
Planar titanium dioxide surfaces, 231
Plasma surface modification, 645
Plasticization pressure, 1959
PMR-15 polyimide, 2293
Polarizing microscopy, 1793
Poly(urethaneimides) (PUI), 1441
Poly(ε-caprolactam), 2333
Polyacrylic composite latex, 565
Polyamic acid-curing mechanism, 1535

Polyamide films, 1577
Polyamides, 1417
Polyamide–imides, 1935
Polyaniline powders, 923
Polybenzimidazobenzophenanthroline (PBIPA) precursors, 1561
Polycarbonate (PC), 2415
Polycarbonate matrix, 385
Polycondensates, 1205
Polycondensation, 2095
Polycyclic aliphatic polyamides, 1417
Polycyclotrimerization, 1585
Polyelectrolyte Hydrogels, 2161
Polyimide films, 485
Polyimides, 1535
Polymer colloids, 19
Polymer isotacticity, 1229, 1237, 1245
Polymer melt flow, 793
Polymer structure–property application, 853
Polymeric gas separation membranes, 1455
Polymeric microspheres, 861
Polymeric-based solution inks, 881
Polymerization rate, 1199
Polymer–polymer interfacial tensions, 401
Polymer–solvent interaction, 1943
Polyolefins, 2131
Polyols, 171, 2141
Polypropylene (PP)/high density polyethylene (HDPE) blends, 551
Polystyrene (PS) beads, 147
Polystyrene Particles, 2101
Polystyrene thermolysis, 843
Polytartaramides, 41
Positive-acting photosensitive polyimide, 1535
Postirradiation aging, 2111
Postpolymerization Friedel–Crafts-type reaction, 1517
Preferred solutions, 2357
Prepolymers, 1567
Propene polymerization, 1229, 1237, 1245
Prosthetic thermoplastic, 1661
Proton nuclear magnetic resonance spectroscopy (^{1}H-NMR), 1015
Pyridine moieties, 1205
Pyrolytic yields, 2013

Quaternary ammonium salts (QAS), 77

Radiation, 85
Radiation, 1857
Radiation-induced grafting, 1735
Reaction kinetics, 2141
Reactive extrusion, 2077, 2433
Reactive plasma treatment, 1305
Recycled PP/rubber/filler systems, 527
Recycling, 1151
Regenerated silk fibroin, 973
Resilience, 597
Resin, 1297
Resins, 1, 69, 179, 1689, 1751, 1825, 2201, 2221
Reverse osmosis, 1205
Reverse osmosis separation, 613
Rheological measurements, 1385
Rheooptical Fourier transform infrared (FTIR) spectroscopy, 501
Ring opening metathesis polymerization (ROMP), 1041
Ring-opening polymerization, 11
Rolltrusion solid-state processing, 1021
Rotating disk polymerization reactor, 1473
Rubber impact modifiers, 1175
Rubber particle cavitation, 427
Rubber-toughened epoxy polymers, 465
Rubber–matrix interface, 427, 439

SBR vulcanizates, 1839
Scanning electron microscopy (SEM), 95, 117, 147, 597, 911, 973, 981, 1087, 1093, 1125, 1341, 1669, 1825, 2101, 2251, 2259
Scanning-transmission electron microscopy (S-TEM), 1087
Schiff base structure, 1585
Scission, 2193
Secondary ion mass spectrometry (SIMS), 699
Seeded emulsion polymerization parameters, 323
Segmented polyurethanes (PUR), 897
Segregation distributions, 1501
Semicontinuous monomer addition, 401
Semiflexible liquid crystalline polymer, 911
Sequential semi-interpenetrating polymer network (semi-2-IPN), 2293
Sequential Ziegler–Natta polymerization product, 515
Shear creep resistance, 1891
Shell polymer, 385
Shore-A hardness, 597
Shrinkage, of films, 2381
Shulz distributions, 2399
Silicon carbides, 2013
Silk fibers, 675
Simulated low earth orbit radiation, 1847
Simultaneous interpenetrating network (SIN), 331, 347
Simultaneous reaction, 2095
Sine (cosine) exponential model, 191
Sisal fibers, 597
Size exclusion and gel permeation chromatography (SEC/GPC) systems, 191
Size exclusion chromatography (SEC), 1779
Size-exclusion chromatography (SEC), 2033
Solid acid catalysts, 1199
Solid glass spheres (SGS), 449
Solid-state nuclear magnetic resonance (NMR), 323
Solid-state polymerization, 1981
Solids, 143
Solid–gas phase reaction, 1275
Solubility parameter, 2057
Solvent crazing, 711
Solvent/nonsolvent phase separation, 1263
Sol–gel approach, 1135
Sol–gel reactions, 1263
Sorption, 2325
Spherulite size, 2429

Spinning, 1619
Spinning temperature, 1349
SRV vibration friction test machine, 903
Stabilization, 1161
Starch esters, 1647
Starch grafting, 1721
Starch-based thermoplastics, 2259
Stokes formula, 2033
Strain rate, 55
Stress–strain analysis, 147
Stress–strain behavior, 1839
Structured latex particles, 401
Styrene–butadiene rubber (SBR), 981
Styrene–ethylene copolymers, 1701
Sulfonation, 1967
Sulfur vulcanization, 1053, 2185, 2193
Surface grafting, 1221
Surface sulfonated HDPE films, 1275
Surface tension reduction, 711
Surface-to-surface interparticle distance, 419
Surfactant-free reactions, 2047
Surfactant-modified epoxy resins, 179
Suspension copolymerization, 1317
Swelling, 1517, 2057
Swelling kinetics, 2161
Swollen fibers, 2405
Synthetic polymeric membranes, 1771
Synthetic Rubbers, 2063

t statistics, 1385
Tack, 881
Tackifier resin, 1891
Temperature-dependent yield stress, 55
Tensile modulus-structure relationship, 2127
Tensile properties of fibers, 2405
Tensile strength, 367, 515, 551, 597, 675, 1349, 1409
Tensile testing, 301
Teorell–Meyer–Sievers (TMS) theorem, 633
Terpolymers, 2067
Tetravalent ceric ions, 1543
Thermal cycling, 2293
Thermal degradation, 523, 1423
Thermal expansion coefficients, 1943
Thermal gravimetric analysis (TGA), 1189
Thermal pressure coefficient, 143
Thermal stability, 1803
Thermal treatments, 2429
Thermally bonded nonwoven fabrics, 1633
Thermodynamic compatibility, 1681
Thermodynamic equilibrium, 2207
Thermogravimetric analysis (TGA), 523, 579, 1409
Thermomechanical analysis (TMA), 1981
Thermoplastic elastomers, 1701
Thermoplastic elastomers (TPEs), 621
Thermoplastic modification, 2345
Thermoplastics, 869, 1647, 1661
Thermotropic copolyesters, 1981
Thermotropic liquid crystalline polymer (TLCP), 1077
Thin-film composite membranes, 613
Thin-walled moldings, 995
Three-dimensional finite element method, 1501
"Three-liquid" contact angle procedure, 291
Time-dependent permeation, 1959
Time-lag method, 1031
Total conversion, 2005
Toughening, epoxies, 439
Toughening, polycarbonate (PC) matrix, 419
Toughening, rubber-modified epoxies, 427
Transesterification, 771, 1349
Transmission electron microscopy, 375
Transmission electron microscopy (TEM), 1047, 1087, 2259, 2333
Twin-screw extruder, 1551
Ultrahigh molecular weight polyethylene (UHMW-PE), 2111
Ultrathin polymeric films, 2381
Ultraviolet (UV) degradation, 1847
Ultraviolet (UV) radiation, 31
Ultraviolet (UV) spectroscopy, 1675
Universal tensile machine (UTM), 1409
Unpurified methylation product solutions, 1199
Unsaturated polyester resin, 1825
Urea–formaldehyde (UF) resins, 1689

Vapor phase monomer addition method, 279
Viscoelastic liquids, 1393
Viscoelasticity, of films, 2381
Viscosity, 401, 551, 835, 2307
Vulcanization, 1053, 1433, 1839

Wafer-photoresist interface, 179
Waste water treatment, 2235, 2243
Water-insoluble metal ion complexing resin, 2201
Water-selective process, 1707
Water-soluble associative polymers, 231
Water-soluble coatings, 1925
Waterborne polyurethanes (PUs), 1117
Weathering, 1661
Wet strength, papers, 1523
Wide-angle X-ray diffraction (WAXD), 2333
Wide-angle X-ray scattering (WAXS), 2259
Wire drawing, 2451
Wood-induced catalytic activation, 109

X-ray diffraction, 2101
X-ray diffraction (XRD) technique, 1669
X-ray photoelectron spectroscopy (XPS), 313, 699, 1047, 1669

Zinc complexes, 1053